

# SAFETY DATA SHEET

## 1. PRODUCT

### 1.1 Product identifiers

Name: 2-Hydroxyethyl methacrylate

CAS-No.: 868-77-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)


Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Skin sensitisation (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Warning
Hazard statement(s)	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Precautionary statement(s)	P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms: 1,2-Ethanediol mono(2-methylpropenoate)  
Glycol methacrylate  
HEMA

Formula:  $C_6H_{10}O_3$

Molecular weight: 130.14 g/mol

CAS-No.: 868-77-9

#### Hazardous components

Component	Classification	Concentration
<b>2-Hydroxyethyl methacrylate</b>		
	Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; H315, H317, H319	<= 100 %
<b>Ethylene dimethacrylate</b>		
	Skin Sens. 1; STOT SE 3; Aquatic Acute 3; H317, H335, H402	>= 0.1 -< 1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>General advice</b>
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
<b>If inhaled</b>
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>In case of skin contact</b>
Wash off with soap and plenty of water. Consult a physician.
<b>In case of eye contact</b>
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>If swallowed</b>
Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for

disposal.

## 6.4 Reference to other sections

For disposal see section 13.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

Storage class (TRGS 510): Combustible liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Hazardous components without workplace control parameters

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 46 min Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure	Do not let product enter drains.
-----------------------------------	----------------------------------

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Form: clear, liquid Colour: colourless
Odour	ester-like
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: -11.99 °C (10.42 °F) - lit.
Initial boiling point and boiling range	67 °C (153 °F) at 4.7 hPa (3.5 mmHg) - lit.
Flash point	106 °C (223 °F) - closed cup - ASTM D 93
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	0.08 hPa (0.06 mmHg) at 20 °C (68 °F) - OECD Test Guideline 104
Vapour density	No data available
Relative density	1.073 g/mL at 25 °C (77 °F) - lit.
Water solubility	100 g/l at 20 °C (68 °F)
Partition coefficient: n-octanol/water	log Pow: 0.42 at 25 °C (77 °F) - OECD Test Guideline 107
Auto-ignition temperature	375 °C (707 °F) at 1,024 hPa (768 mmHg)
Decomposition temperature	No data available
Viscosity	6.36 mm <sup>2</sup> /s at 20 °C (68 °F) - 3.42 mm <sup>2</sup> /s at 40 °C (104 °F) -
Explosive properties	No data available
Oxidizing properties	No data available

### 9.2 Other safety information

No data available

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

Contains the following stabiliser(s):

Mequinol (>=7 - <=50 ppm)

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Exposure to moisture Heat Light.

### 10.5 Incompatible materials

Oxidizing agents, Free radical initiators, Steel (all types and surface treatments), Peroxides

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

<b>Acute toxicity</b>	
LD50 Oral - Rat - male and female - 5,564 mg/kg Inhalation: No data available LD50 Dermal - Rabbit - male - > 5,000 mg/kg No data available	
<b>Skin corrosion/irritation</b>	
No data available	
<b>Serious eye damage/eye irritation</b>	
Eyes - Rabbit Result: Irritating to eyes. (Draize Test)	
<b>Respiratory or skin sensitisation</b>	
in vivo assay - Guinea pig Result: May cause sensitisation by skin contact. (Maximisation Test)	
<b>Germ cell mutagenicity</b>	
In vitro mammalian cell gene mutation test Chinese hamster ovary cells Result: negative OECD Test Guideline 474 Rat - male Result: negative	
<b>Carcinogenicity</b>	
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
<b>Reproductive toxicity</b>	
No data available Reproductive toxicity - Rat - female - Oral Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.	
<b>Specific target organ toxicity -single exposure</b>	
No data available	
<b>Specific target organ toxicity -repeated exposure</b>	
No data available	
<b>Aspiration hazard</b>	
No data available	
<b>Additional Information</b>	
Repeated dose toxicity Rat - male and female - Oral - NOAEL : 300 mg/kg RTECS: Not available To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence	

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish	semi-static test LC50 - <i>Oryzias latipes</i> - > 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - <i>Daphnia magna</i> (Water flea) - 380 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	Growth inhibition EC50 - <i>Selenastrum capricornutum</i> (green algae) - 836 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria	No data available
----------------------	-------------------

## 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 14 d Result: 92 - 100 % - Readily biodegradable (OECD Test Guideline 301C)
------------------	----------------------------------------------------------------------------------------------------------

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

<b>Product</b>
Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
<b>Contaminated packaging</b>
Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

### IATA

Not dangerous goods

## 15. REGULATORY INFORMATION

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute Health Hazard

### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
-----------	---------	---------------

2-Hydroxyethyl methacrylate	868-77-9	
-----------------------------	----------	--

### New Jersey Right To Know Components

Component	CAS-No.	Revision Date
2-Hydroxyethyl methacrylate	868-77-9	

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity

Eye Irrit. Eye irritation

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

Skin Irrit. Skin irritation

Skin Sens. Skin sensitisation

STOT SE Specific target organ toxicity - single exposure

### HMIS Rating

Health hazard: 2

Chronic Health Hazard:

Flammability: 1

Physical Hazard 0

### NFPA Rating

Health hazard: 2

Fire Hazard: 1

Reactivity Hazard: 0

---