1. PRODUCT

1.1 Product identifiers

Name: 3-(Methylthio)butanal

CAS-No.: 16630-52-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 3), H331

Serious eye damage (Category 1), H318

Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H226 Flammable liquid and vapour. H318 Causes serious eye damage. H331 Toxic if inhaled. H341 Suspected of causing genetic defects. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula:	C ₅ H ₁₀ OS
Molecular weight:	118.20 g/mol
CAS-No.:	16630-52-7

Hazardous components

Component	Classification	Concentration
3-(Methylthio)butyraldehyde		
	Flam. Liq. 3; H226	<= 100 %
Crotonaldehyde, predominantly trans		
	Flam. Liq. 2; Acute Tox. 3; Acute Tox. 1; Acute Tox. 3; Skin Irrit. 2; Eye Dam. 1; Muta. 2; STOT SE 3; STOT RE 2; Aquatic Acute 1; H225, H301 + H311, H315, H318, H330, H335, H341, H373, H400	>= 1 -< 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact
Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.
In case of eye contact
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed
Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.2 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources

of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in

container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Crotonaldehyde, predominantly trans	123-73-9	TWA	2.000000 ppm 6.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants
	Remarks	The value in mg/m3 is approximate. Substance listed; for more information see OSHA document 1910.1029		
		TWA	2 ppm 6 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants
		The value in mg/m3 is approximate.		

Hazardous components without workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

eld (8-inch minimum). Use equipment for eye protection tested and ent standards such as NIOSH (US) or EN 166(EU).
spected prior to use. Use proper glove removal technique (without d skin contact with this product. Dispose of contaminated gloves after s and good laboratory practices. Wash and dry hands.
icals, Flame retardant antistatic protective clothing., The type of according to the concentration and amount of the dangerous substance
fying respirators are appropriate use a full-face respirator with multi- EK (EN 14387) respirator cartridges as a backup to engineering controls. rotection, use a full-face supplied air respirator. Use respirators and er appropriate government standards such as NIOSH (US) or CEN (EU).
afe to do so. Do not let product enter drains. Discharge into the
_

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Form: liquid Colour: colourless
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	62 - 64 °C (144 - 147 °F) at 13 hPa (10 mmHg) - lit.
Flash point	62 °C (144 °F) - closed cup49 °C (120 °F)
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	80 hPa (60 mmHg) at 20 °C (68 °F)
Vapour density	4.08 - (Air = 1.0)
Relative density	1.001 g/cm3 at 25 °C (77 °F)
Water solubility	No data available

Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

9.2 Other safety information

Relative vapour density: 4.08 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Strong bases

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity	
No data available (3-(Methylthio)butyraldehyde) Inhalation: No data available (3-(Methylthio)butyraldehyde) Dermal: No data available (3-(Methylthio)butyraldehyde) No data available (3-(Methylthio)butyraldehyde)	
Skin corrosion/irritation	
No data available (3-(Methylthio)butyraldehyde)	
Serious eye damage/eye irritation	
No data available (3-(Methylthio)butyraldehyde)	
Respiratory or skin sensitisation	
No data available (3-(Methylthio)butyraldehyde)	
Germ cell mutagenicity	
No data available (3-(Methylthio)butyraldehyde)	
Carcinogenicity	
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	

Reproductive toxicity

No data available (3-(Methylthio)butyraldehyde) No data available (3-(Methylthio)butyraldehyde)

Specific target organ toxicity -single exposure

No data available (3-(Methylthio)butyraldehyde)

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available (3-(Methylthio)butyraldehyde)

Additional Information

RTECS: Not available

Nausea, Headache, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (3-(Methylthio)butyraldehyde)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available (3-(Methylthio)butyraldehyde)

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Very toxic to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1989 Class: 3 Packing group: III

Proper shipping name: Aldehydes, n.o.s. (3-(Methylthio)butyraldehyde)

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1989 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: ALDEHYDES, N.O.S.

ΙΑΤΑ

UN number: 1989 Class: 3 Packing group: III

Proper shipping name: Aldehydes, n.o.s. (3-(Methylthio)butyraldehyde)

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Component	CAS-No.	Revision Date
Crotonaldehyde, predominantly trans	123-73-9	2007-07-01

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Reportable Quantity : U053 lbs

Massachusetts Right To Know Components

Component	CAS-No.	Revision Date
Crotonaldehyde, predominantly trans	123-73-9	2007-07-01

Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
3-(Methylthio)butyraldehyde	16630-52-7	
Crotonaldehyde, predominantly trans	123-73-9	2007-07-01

New Jersey Right To Know Components

Component	CAS-No.	Revision Date
3-(Methylthio)butyraldehyde	16630-52-7	
Crotonaldehyde, predominantly trans	123-73-9	2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Eye Dam. Serious eye damage

Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 + H311 Toxic if swallowed or in contact with skin

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Muta. Germ cell mutagenicity

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure

STOT SE Specific target organ toxicity - single exposure

HMIS Rating

Health hazard: 3

Chronic Health Hazard: *

Flammability: 2

Physical Hazard 0

NFPA Rating

Health hazard: 4

Fire Hazard: 2

Reactivity Hazard: 0