

# Material Safety Data Sheet

Page 1 of 7

Paraffin wax / Microcrystalline wax

---

## 1. Product and company identification

Product name: Paraffin wax 48/50, 50/52, 52/54, 54/56, 56/58, 58/60,  
60/62, 62/64, 64/66, 66/68, 70/72, 72/74

(Semi refined /fully refined)

120F/135F/140F/145F/155F/165F

Microcrystalline wax No.70, No.80, No 85,180F

Supplier: Jingmen Weijia Chemical Co., Ltd

Emergency contact /Production information contact:

Ms. Linda Li Tel: +86-724-2639692 Email: jingmenweijia@hotmail.com

## 2. Composition /Information on ingredients

Generic composition: Paraffin wax / Microcrystalline wax

Substance name Wt %

Paraffin wax (64742-51-4) 100

Microcrystalline wax (63231-60-7) 100

Trace impurities and additional material names not listed above may also appear in the Regulatory Information section (#15) towards the end of the MSDS. These materials may be listed for local "Right to Know" compliance and for other reasons.

### 3. Hazards identification

Effects of overexposure: Contact with hot material may cause skin burn.

Page 2 of 7

Paraffin wax / Microcrystalline wax

---

### 4. First aids measures

Eye contact: Flush thoroughly with water. If irritation persists, call a doctor.

Skin contact: Wash contacts with water. If burned by contact with hot material cool molten material adhering to skin as quickly as possible water and see physician for removal or adhering material and treatment of burn.

Inhalation: Remove from further exposure. If respiratory irritation, dizziness nausea, or unconsciousness occurs, seek immediate medical assistance and call a ambulance. If breathing has stopped, use mouth-to-mouth resuscitation.

Ingestion: Not expected to be a problem when ingested. If uncomfortable, obtain medical

Attention.

Note to physician: Treat symptoms with reference to specific health effect identified above.

### 5. Fire-fighting measures

Flammable properties:

Flash point: >350F (> 175DEG.C)

Flash point method: Open cup.

Auto ignition temperature: Not known.

Upper flame limits (Volume% in air): Not applicable.

Lower flame limits (Volume% in air): Not applicable.

Flame propagation rate (Solids): Unknown.

Page 3 of 7

Paraffin wax / Microcrystalline wax

---

OSHA flammability class: Not applicable

Extinguishing media: Foam, dry chemical, CO2 and water fog.

Special fire fighting procedures: Water or foam may cause frothing. Use water to cool fire-exposed containers. Water spray may be used to flush spills away from exposures. Prevent runoff from fire control or dilution from entering waterways, sewers or drinking water supply.

Special protective equipments: For fires in enclosed area, firefighters must use self-contained breathing apparatus.

Unusual fire and explosion hazards: May generate irritating vapors when burning.

NFPA Hazard ID: Health: 1, Flammability: 1, Reactivity: 0

Hazardous decomposition products: Carbon monoxide, Paraffin fumes.

## 6. Accidental release measures

Notification procedures: Report spills as required appropriate authorities such as the local Environmental Health Officer or Fire Brigade. If spills are likely to enter any drain, waterway or groundwater, contact the police and Fire Brigade and, if appropriate, the Area Water Authority.

Procedures if material is released or spilled: If liquid, bund to contain, allowed cooling. Shovel up and dispose of at an appropriate licensed waste disposal site in accordance with current applicable laws and Regulations and product characteristics at times of disposal or divert to recovery unit.

Environmental precautions: Prevent spills from entering storm sewers or drains and contact with soil.

Personal precautions: See Section 8.

Page 4 of 7

Paraffin wax / Microcrystalline wax

---

## 7. Handling and storage

Handling: No special precautions are necessary beyond normal good hygiene practices. See section 8 for additional personal protection advice when handling this product.

### STORAGE:

Do not store in open or unlabelled containers. Stay away from strong

oxidizing agents or combustible material. See section 15 for Regulatory information when storing this product.

#### 8. Exposure controls /personal protection

Ventilation: Use local exhaust ventilation over heating operations. Use in well ventilated area.

Respiratory protection: No special requirement under ordinary conditions of use and with adequate ventilation.

Eye protection:

Generally eye contact with solid material is unlikely. However when handling product

Generally eye contact with solid material is unlikely. However, when handling product

In liquid form, chemical type goggles should be worn.

Skin protection: Gloves suitable for handling ho materials should be worn.

Good personal hygiene practices should always be followed.

#### 9. Physical and chemical property:

Typical physical properties are given below. Consult Product Data Sheet for specific details.

Physical state: Wax

Color: White to amber

Odor: Characteristic waxy odor

Odor threshold ( ppm ): NE

Specific gravity: (Water=1.0) 0.87-0.92

Page 5 of 7

Paraffin wax / Microcrystalline wax

---

PH: N/A

Boiling point: N/A

Melting Point: 46-80 DEG. C (115-175F)

Flash Point: > 350F (> 175DEG.C)

Flammability: N/E

Auto flammability: N/E

Explosive properties: N/A

Oxidizing properties: N/A

Vapor pressure: Negligible

Vapor density: (Air = 1.0) NA

Evaporation rate: N/A

Solubility in water: (Weight %) Negligible

Pour point C: N/A

Freezing point: N/A

NA=Not Applicable, NE=Not Established

10. Stability and reactivity

Stability (Thermal, Light, ETC.): Stable.

Conditions to avoid: Extreme heat.

Incompatibilities (materials to avoid): Strong oxidizers.

Hazardous decomposition products: Carbon monoxide, Paraffin fumes.

Hazardous polymerization: Will not occur.

#### 11. Toxicological data

-----Acute toxicology-----

Oral toxicity: Practically non-toxic (LD50: greater than 2000mg/kg)

Based on testing of similar products and /or the component.

Page 6 of 7

Paraffin wax / Microcrystalline wax

-----  
Dermal Toxicity: Practically non-toxic (LD50: greater than 2000mg/kg)

based on testing of similar products and/or the component.

Inhalation toxicity: Not established.

Eye irritation: Practically non-irritating based on testing of similar products and/or the component.

SKIN IRRITATION:

Practically non-irritating (Primary Irritation Index: 0.5 or less) based on testing of similar products and/or the component.

#### 12. Ecological information

Environmental rate and effects: Not established.

#### 13. Disposal considerations:

WASTE DISPOSAL: Product is suitable for burning in an enclosed,

controlled burner for fuel value or disposal by supervised incineration. Such burning may be limited by the local authority. In addition, the product is suitable for processing by an approved recycling facility or can be disposed of at an appropriate licensed waste disposal site. Use of these methods is subject to user compliance with applicable laws and regulations and considerations of product characteristics a time of disposal.

14. Transport information:

US dot proper shipping name: Not regulated

US dot hazard class: Not applicable

For additional information on shipping regulations affecting this material, contact the Information numbers found on the first page.

Page 7 of 7

Paraffin wax / Microcrystalline wax

---

15. Regulatory information

Toxic Substances Control Act (TSCA):

---

TSCA inventory status: Product is listed on the TSCA Chemical Inventory.

Other TSCA issues: None.

Additional regulatory information: None.

Foreign inventory status:

Canadian DSL (Domestic Substances List)

IECSC (China) Inventory

EINECS (European Inventory of Existing Commercial Chemical Substances)

Australian Inventory

Japanese Chemical Inventory (ENCS)

Korean Inventory

Philippine Inventory (PICCS)

16. Other information

Current issue date: November 18, 2008

Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the are therefore assumed by the user and

WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE,

INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF PRODUCT. Nothing is intended as recommendation

for uses, which infringe valid patents, or as extending license under valid

patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.

\*\*\*\*\* END OF MSDS \*\*\*\*\*