# 1. PRODUCT

## **1.1 Product identifiers**

Name: Heptyl alcohol

CAS-No.: 111-70-6

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Eye irritation (Category 2A), H319

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Warning
Hazard statement(s)	H227 Combustible liquid. H319 Causes serious eye irritation. H402 Harmful to aquatic life.
Precautionary statement(s)	<ul> <li>P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms:	1-Heptanol Heptyl alcohol C-7 alcohol
Formula:	C <sub>7</sub> H <sub>16</sub> O
Molecular weight:	116.20 g/mol
CAS-No.:	111-70-6
EC-No.:	203-897-9

## Hazardous components

Component	Classification	Concentration
Heptan-1-ol		
en e	Flam. Liq. 4; Eye Irrit. 2A; Aquatic Acute 3; H227, H319, H402	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

## **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment

must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in

container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

workday.

## Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M) Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 60 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
	impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the
environmen e	environment must be avoided.
tal	
exposure	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance	Form: clear, liquid Colour: colourless
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: -36 °C (-33 °F) - lit.
Initial boiling point and boiling range	176 °C (349 °F) - lit.
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	0.7 hPa (0.5 mmHg) at 20 °C (68 °F) - Tested according to Annex V of Directive 67/548/EEC. 1 hPa (1 mmHg) at 25 °C (77 °F) - Tested according to Annex V of Directive 67/548/EEC.
Vapour density	No data available
Relative density	0.822 g/cm3 at 25 °C (77 °F) - lit.
Water solubility	1.63 g/l at 20 °C (68 °F) - OECD Test Guideline 105
Partition coefficient: n-octanol/water	log Pow: 2.2 at 20 °C (68 °F) - OECD Test Guideline 107
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

## 9.2 Other safety information

Surface tension: 41 mN/m at 19.3 °C (66.7 °F)

# **10. STABILITY AND REACTIVITY**

## **10.1 Reactivity**

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

Strong oxidizing agents, Acid chlorides, Acid anhydrides

# **10.6 Hazardous decomposition products**

Other decomposition products - No data available

In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

Acute toxicity	
LD50 Oral - Rat - female - 5,500 mg/kg (OECD Test Guideline 401) LC0 Inhalation - Rat - 4 h - > 7.4 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - > 2,000 mg/kg	
(OECD Test Guideline 402) No data available	
Skin corrosion/irritation	
Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)	
Serious eye damage/eye irritation	. C.
Eyes - Rabbit Result: Irritating to eyes 24 h (OECD Test Guideline 405)	TIP.
Respiratory or skin sensitisation	
Maximisation Test (GPMT) - Guinea pig Did not cause sensitisation on laboratory animals. (OECD Test Guideline 406)	
Germ cell mutagenicity	
S. typhimurium Result: negative	
Carcinogenicity	
IARC: No component of this product present at levels greater than or equal to 0 probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0 known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to carcinogen or potential carcinogen by OSHA.	0 0.1% is identified as a .1% is identified as a
Reproductive toxicity	S
No data available No data available	oth
Specific target organ toxicity -single exposure	
No data available	V
Specific target organ toxicity -repeated exposure	
No data available	
Aspiration hazard	
No data available	
Additional Information	
RTECS: MK0350000 To the best of our knowledge, the chemical, physical, and toxicological properti investigated.	es have not been thoroughly

# **12. ECOLOGICAL INFORMATION**

# 12.1 Toxicity

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - 37.9 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (Water flea) - 84 mg/l - 48 h
Toxicity to algae	No data available
Toxicity to bacteria	No data available

# 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: 84 % - Readily biodegradable (OECD Test Guideline 301)
------------------	---

# 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

## **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

#### Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

# DOT (US)

NA-Number: 1993 Class: NONE Packing group: III

Proper shipping name: Combustible liquid, n.o.s. (Heptan-1-ol)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

# IMDG

Not dangerous goods

# ΙΑΤΑ

Not dangerous goods

# **15. REGULATORY INFORMATION**

## SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

## Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

# Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Heptan-1-ol	111-70-6	

# New Jersey Right To Know Components

Component	CAS-No.	Revision Date
Heptan-1-ol	111-70-6	

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity

Eye Irrit. Eye irritation

Flam. Liq. Flammable liquids

H227 Combustible liquid.

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

# **HMIS** Rating

Health hazard: 2

Chronic Health Hazard:

Flammability: 2

Physical Hazard 0

## **NFPA** Rating

Health hazard: 2

Fire Hazard: 2

Reactivity Hazard: 0