## 1. PRODUCT

## **1.1 Product identifiers**

Name: Indium(III) selenide

CAS-No.: 12056-07-4

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram		
Signal word	Danger	
Hazard statement(s)	H301 + H331 Toxic if swallowed or if inhaled H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.	
Precautionary statement(s)	<ul> <li>P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P273 Avoid release to the environment.</li> <li>P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.</li> <li>P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> <li>P314 Get medical advice/ attention if you feel unwell.</li> <li>P321 Specific treatment (see supplemental first aid instructions on this label).</li> <li>P330 Rinse mouth.</li> <li>P391 Collect spillage.</li> <li>P403 + P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>	

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula:	In <sub>2</sub> Se <sub>3</sub>
Molecular weight:	466.52 g/mol
CAS-No.:	12056-07-4

## Hazardous components

Component	Classification	Concentration
Indium(III) selenide		
	Acute Tox. 3; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H301 + H331, H373, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.2 Indication of any immediate medical attention and special treatment needed

No data available

### **5. FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Selenium/selenium oxides, Indium/indium oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment

must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.Normal measures for preventive fire protection.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

## Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Indium(III) selenide	12056-07-4	TWA	0.200000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Upper Respiratory Tract irritation Eye irritation			
		TWA	0.200000 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants	
		TWA	0.100000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Pulmonary edema Pneumonitis Dental erosion Malaise			Dental erosion Malaise	
		TWA	0.200000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	0.100000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	0.2 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants	
		TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
Upper Respiratory Tract irritation Eye irritation			n Eye irritation		
0		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
Pulmonary edema Pneumonitis Dental erosion Malaise			Dental erosion Malaise		
Î,		TWA	0.2 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits	

### 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) glash contact Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance	Form: powder
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	5.67 g/cm3 at 25 °C (77 °F)
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

## 9.2 Other safety information

No data available

## **10. STABILITY AND REACTIVITY**

## 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Avoid moisture.

## 10.5 Incompatible materials

Strong oxidizing agents

## **10.6 Hazardous decomposition products**

Other decomposition products - No data available

In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

Acute toxicity	
No data available Dermal: No data available No data available	
Skin corrosion/irritation	
No data available	
Serious eye damage/eye irritatio	n n
No data available	
Respiratory or skin sensitisatior	
No data available	
Germ cell mutagenicity	
No data available	
Carcinogenicity	
NTP: No component of this product proken known or anticipated carcinogen by N	present at levels greater than or equal to 0.1% is identified as a
Reproductive toxicity	
No data available No data available	
Specific target organ toxicity -si	ngle exposure
No data available	
Specific target organ toxicity -re	peated exposure
May cause damage to organs through	prolonged or repeated exposure.
Aspiration hazard	
No data available	
Additional Information	
drowsiness. Other signs of intoxication discolored or decayed, odorous ("garli produce symptoms that include pallor, spleen damage, as well as any of the compounds may cause garlic odor of b	entral nervous system effects, which include nervousness, convulsions, and in can include skin eruptions, lassitude, gastrointestinal distress, teeth that are c") breath, and partial loss of hair and nails. Chronic exposure by inhalation can coating of the tongue, anemia, irritation of the mucosa, lumbar pain, liver and other previously mentioned symptoms. Chronic contact with selenium preath and sweat, dermatitis, and moderate emotional instability., To the best of , and toxicological properties have not been thoroughly investigated. iman Evidence

# **12. ECOLOGICAL INFORMATION**

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

## **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### **Contaminated packaging**

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

### DOT (US)

UN number: 3283 Class: 6.1 Packing group: III

Proper shipping name: Selenium compound, solid, n.o.s. (Indium(III) selenide)

Marine pollutant:yes

Poison Inhalation Hazard: No

### IMDG

UN number: 3283 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: SELENIUM COMPOUND, SOLID, N.O.S. (Indium(III) selenide)

Marine pollutant:yes

## ΙΑΤΑ

UN number: 3283 Class: 6.1 Packing group: III

Proper shipping name: Selenium compound, solid, n.o.s. (Indium(III) selenide)

## **15. REGULATORY INFORMATION**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Component	CAS-No.	Revision Date
Indium(III) selenide	12056-07-4	2007-07-01

## SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Indium(III) selenide	12056-07-4	2007-07-01

### New Jersey Right To Know Components

Component	CAS-No.	Revision Date
Indium(III) selenide	12056-07-4	2007-07-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

## **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Aquatic Chronic Chronic aquatic toxicity

H301 Toxic if swallowed.

H301 + H331 Toxic if swallowed or if inhaled

H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

## **HMIS Rating**

Health hazard: 2

Chronic Health Hazard:

Flammability: 0

Physical Hazard 0

## **NFPA** Rating

Health hazard: 2

Fire Hazard: 0

Reactivity Hazard: 0

