\*This SDS for user in China - Not correspond to the regulation of other regions.



TCI (Shanghai) DEVELOPMENT CO., LTD.

**Revision number: 4** 

Revision date: 09/22/2022 Page 1 of 5 Revision date: 09/22/2022

# SAFETY DATA SHEET

#### 1. IDENTIFICATION Product name:

Product code:

Company:

**Telephone:** 

Address:

Fax:

e-mail:

Benzylmagnesium Chloride (ca. 16% in Tetrahydrofuran, ca. 1mol/L) B1933 TCI (Shanghai) DEVELOPMENT CO., LTD. No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China Sales Department +86-(0)21-67121386 +86-(0)21-67121385 Sales-CN@TCIchemicals.com 0532-83889090 4

#### 2. HAZARDS IDENTIFICATION

**Emergency telephone:** 

**Revision number:** 

**Responsible Department:** 

Classification of the substance or mixture PHYSICAL HAZARDS Flammable liquids **HEALTH HAZARDS** Acute toxicity (Oral) Skin corrosion/irritation Serious eye damage/eye irritation Carcinogenicity Specific target organ toxicity - Single exposure [Category 2] Specific target organ toxicity - Single exposure [Category 3] Specific target organ toxicity - Repeated exposure [Category 1] ENVIRONMENTAL HAZARDS Label elements Pictograms or hazard symbols



Signal word Hazard statements Category 2

Category 4 Category 1B Category 1 Category 2 Nervous system

Respiratory tract irritation

Liver Nervous system Kidney

Not classified

Danger Highly flammable liquid and vapour Harmful if swallowed Causes severe skin burns and eye damage Suspected of causing cancer May cause damage to organs : Nervous system Causes damage to organs through prolonged or repeated exposure : Liver Nervous system Kidney May cause respiratory irritation

Precautionary statements [Prevention]

Keep away from heat, sparks, open flames and hot surfaces. -No smoking. Keep container tightly closed. Ground and bond container and receiving equipment.

Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist, vapors or spray.

		TCI (Shanghai) DEVELOPMENT CO., LTD. Revision number: 4 Revision date: 09/22/2022 Page 2 of 5
		Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product.
		Wash hands and face thoroughly after handling.
		Wear protective gloves, protective clothing, face protection.
	[Response]	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a
	[]	POISON CENTER or doctor.
		IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
		with water or shower. Immediately call a POISON CENTER or doctor. Wash
		contaminated clothing before reuse.
		IF INHALED: Remove person to fresh air and keep comfortable for breathing.
		Immediately call a POISON CENTER or doctor.
		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
		If exposed or concerned: Call a POISON CENTER or doctor.
	[Storage]	Store in a well-ventilated place. Keep container tightly closed.
		Store locked up.
	[Disposal]	Dispose of contents and container in accordance with local, regional, national
		regulations.
2		
3.	COMPOSITION/INFORMAT Substance/mixture:	Mixture
	Components:	Benzylmagnesium Chloride (ca. 16% in Tetrahydrofuran, ca. 1mol/L)
	Percent:	Denzyimagnesium emonde (ca. 10% in Tetranydroidran, ca. 1110/L)
	CAS RN:	 6921-34-2
	Chemical Formula:	C7H7CIMg
		u u u u u u u u u u u u u u u u u u u
4.	FIRST AID MEASURES	Demonstration to found and been at most in a position comparished for boundhing
	Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
	Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty
	okin contact.	of soap and water. Immediately call a POISON CENTER or doctor/physician.
	Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present
		and easy to do. Continue rinsing.Immediately call a POISON CENTER or
		doctor/physician.
	Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT
		induce vomiting.
	Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and
		air-tight goggles.
5.	FIRE-FIGHTING MEASURE	
	Suitable extinguishing	Dry chemical, dry sand.
	media:	Matar
	Unsuitable extinguishing	Water
	media: Specific hazards arising from	n Take care as it may decompose upon combustion or in high temperatures to
	the chemical:	generate poisonous fume.
	Precautions for firefighters:	Fire-extinguishing work is done from the windward and the suitable
		fire-extinguishing method according to the surrounding situation is used.
		Uninvolved persons should evacuate to a safe place. In case of fire in the
		surroundings: Keep containers cool by spraying with water but NO direct contact
		with water. Eliminate all ignition sources if safe to do so.

Special protective equipment When extinguishing fire, be sure to wear personal protective equipment for firefighters:

	TCI (Shanghai) DEVELOPMENT CO., LTD. Revision number: 4 Revision date: 09/22/2022 Page 3 of 5			
6. ACCIDENTAL RELEASE M				
Personal precautions, Use extra personal protective equipment (self-contained breathing appara				
protective equipment and	Keep people away from and upwind of spill/leak. Ensure adequate ventilation.			
emergency procedures:	Entry to non-involved personnel should be controlled around the leakage area by roping off, etc.			
Environmental precautions:	Prevent product from entering drains.			
Methods and materials for	Absorb spilled material in dry sand or inert absorbent before recovering it into an			
containment and cleaning	airtight container. In case of large amount of spillage, contain a spill by bunding.			
up:	Adhered or collected material should be promptly disposed of, in accordance with			
Prevention of secondary	appropriate laws and regulations. Do not allow contact with water. Remove all sources of ignition. Fire-extinguishing			
hazards:	devices should be prepared in case of a fire. Use spark-proof tools and			
	explosion-proof equipment.			
	_			
7. HANDLING AND STORAGE				
<b>Precautions for safe handling</b> <b>Technical measures:</b> Handling is performed in a well ventilated place. Wear suitable protective				
reclinical measures.	equipment. Prevent generation of vapour or mist. Keep away from			
	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the			
	build up of electrostatic charge. Use explosion-proof equipment. Wash hands and			
	face thoroughly after handling.			
	Use a closed system if possible. Use a ventilation, local exhaust if vapour or			
Advice on offe headling.	aerosol will be generated.			
Advice on safe handling:	Avoid contact with skin, eyes and clothing. Use well-dried equipment.			
	Handle under inert gas.			
	Don't leave used equipment or rag. This product may ignite if it is left stuck on			
	combustibles such as paper, rags, etc.			
Conditions for safe storage, inc	luding any			
incompatibilities				
Storage conditions:	Keep container tightly closed. Store in a cool, dark and well-ventilated place.			
	Store under inert gas. Protect from moisture.			
	Store locked up.			
	Store away from incompatible materials such as oxidizing agents.			
	Moisture-sensitive			
Packaging material:	Comply with laws.			
8. EXPOSURE CONTROLS / F				
Engineering controls:	Install a closed system or local exhaust. Also install safety shower and eye bath.			
Exposure limits:	(THF)			
·	ACGIH TLV(TWA):50 ppm (skin)			
	ACGIH TLV(STEL):100 ppm (skin)			
	OSHA PEL(TWA):200 ppm			
Personal protective equipment				
Respiratory protection:	Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate			
	supplied all respirator, etc. Ose respirators approved under appropriate			

government standards and follow local and national regulations. Impervious gloves. Hand protection: Eye protection: Skin and body protection: Safety goggles. A face-shield, if the situation requires. Impervious protective clothing. Protective boots, if the situation requires.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid	
Odour:	No data available	
pH:	No data available	
Melting point/freezing point:	No data available	
	(THF) -108°C	
Boiling point/range:	No data available	
	(THF) 65°C	
Flash point:	No data available	(THF) -15°C
Flammability or explosive		
limits:		
Lower:	No data available	
Upper:	No data available	
Relative density:	No data available	
Solubility(ies):		
[Water]	No data available	
[Other solvents]	No data available	
Log Pow:	(THF) 0.46	

# **10. STABILITY AND REACTIVITY**

Chemical stability:	Stable under proper conditions.
Possibility of hazardous	No special reactivity has been reported.
reactions:	
Conditions to avoid:	Spark, Open flame, Static discharge, Moisture
Incompatible materials:	Oxidizing agents, Water, Alcohols, Amines, Oxygen
Hazardous decomposition	Carbon dioxide, Carbon monoxide, Hydrogen chloride
products:	

### **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity:	No data available (THF) orl-rat LD50:1650 mg/kg ihl-rat LC50:21000 ppm/3H ipr-rat LD50:2900 mg/kg
Skin corrosion/irritation:	No data available
Serious eye	No data available
damage/irritation:	
Germ cell mutagenicity:	No data available
	(THF)
	mmo-esc 1 umol/L (-S9)
Carcinogenicity:	
IARC =	Group 2B (Possibly carcinogenic to humans)
NTP =	No data available
	(THF)
	ihl-rat TCLo:18900 mg/kg/105W-l
Reproductive toxicity:	No data available

## **12. ECOLOGICAL INFORMATION**

Ecotoxicity:	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
Persistence / degradability:	No data available
Bioaccumulative	No data available
potential(BCF):	
Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM <sup>3</sup> /mol):	No data available

#### **13. DISPOSAL CONSIDERATIONS**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. Take precautions against ignition. Observe all federal, state and local regulations when disposing of the substance

14. TRANSPORT INFORMATION			
Hazards Class:	3: Flammable liquid.		
Subsidiary risk:	8: Corrosive.		
UN-No:	2924		
Proper shipping name:	Flammable liquid, corrosive, n.o.s.		
Packing group:	II		

### **15. REGULATORY INFORMATION**

Regulations on the Control over Safety of Dangerous Chemicals (State Council announces on January 26, 2002 and revised on February 16,2011): Safe use and production, the storage of a dangerous chemical, transport, loading and unloading were prescribed.

This product is included in the list of dangerous chemicals(2015)/Serial No.: 2828

#### **16. OTHER INFORMATION**

The reference company name of written contentsCompany:TCI (Shanghai) DEVELOPMENT CO., LTD.Address:No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 ChinaDepartment:Technical Information DepartmentEmergency telephone:0532-83889090Fax:+86-(0)21-67121385

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.