

SAFETY DATA SHEET (SDS)

Product Name: Isopropylmagnesium chloride lithium chloride complex solution in THF SDS number: HS/YBJLHMLHL002-2023
Date Prepared: Apr 28,2023 Version: A/0

Section 1 - Product and Company Identification

Product name Isopropylmagnesium chloride lithium chloride complex solution in THF
Applicant name Lanzhou Hong Sheng Fine Chemical Co., LTD
Application address Room 820, strategic emerging industry hatching base, Qinchuan Garden, Lanzhou new district, Lanzhou City, Gansu Province
Applicant post code ---
Applicant fax ---
Applicant emergency number +86-13194871973
Applicant email 37048462@qq.com
Manufacturer name Lanzhou Hong Sheng Fine Chemical Co., LTD
Manufacturer address Room 820, strategic emerging industry hatching base, Qinchuan Garden, Lanzhou new district, Lanzhou City, Gansu Province
Manufacturer post code ---
Manufacturer fax ---
Manufacturer emergency number +86-13194871973
Recommended and restricted USES Used for Pharmaceutical intermediate

Section 2 –Hazards Identification

Hazard class and label elements of the substance according to GHS(the ninth revised edition):

GHS hazard class

Physical hazard	Flammable liquids	Category 2	H225
Health hazard	Acute toxicity, through the mouth	Category 5	H303
	Skin corrosion/irritation	Category 1B	H314
	Severe eye injury/eye irritation	Category 1	H318
	Carcinogenicity	Category 2	H351
	Specific target organ toxicity, single exposure;Respiratory irritation, Respiratory tract irritation	Category 3	H335

Pictogram



Signal

Danger

SAFETY DATA SHEET (SDS)

Product Name: Isopropylmagnesium chloride lithium chloride complex solution in THF

Date Prepared: Apr 28, 2023

Hazard statements	H225 Highly flammable liquid and vapour H303 Swallowing may be harmful. H314 Causes severe skin burns and eye damage H335 May cause respiratory irritation H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer
Prevention	P201 Obtain special instructions before use. P202 Do not move it until you have read and understood all safety precautions. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P223 No contact with water. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting] equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid inhaling dust/smoke/gas/smoke/vapor/spray. P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	P301 + P330 + P331 If swallowed: Rinse mouth. Do not induce vomiting. P303 + P361 + P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. P304 + P340 + P310 If inhaled: Remove person to fresh air and keep comfortable for breathing. Call emergency center/doctor immediately. P305 + P351 + P338 + P310 If in eyes: Rinse carefully with water for a few minutes. If you wear contact lenses and can easily remove them, remove them. Keep rinsing. Call emergency services/doctors immediately P312 If you feel unwell, call the emergency center/doctor. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry powder and sand to extinguish fire. Do not use water or foam to extinguish fires
Storage	P403 + P235+ P233 Store in a well-ventilated place. Keep cool. Keep container tightly closed. P405 Store locked up.
Disposal	P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

Section 3 – Composition/Information on Ingredients

SAFETY DATA SHEET (SDS)

Product Name: Isopropylmagnesium chloride lithium chloride complex solution in THF

Date Prepared: Apr 28, 2023

Component	Concentration (%)	CAS No.	EC No.
Isopropylmagnesium chloride lithium chloride complex	>= 10 - < 20 %	745038-86-2	/
Tetrahydrofuran	>= 70 - < 90 %	109-99-9	203-726-8

Section 4 – First Aid Measures

After skin contact	Remove contaminated clothing and shoes immediately. Rinse with soap and plenty of water. Consult a doctor.
After eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor.
After ingestion	Never feed an unconscious person anything from his or her mouth. Gargle with water. Consult a doctor.
After inhalation	If inhaled, move the patient to fresh air. Consult a doctor.

Section 5 – Fire Fighting Measures

Hazardous products of combustion	Carbon oxide, hydrogen chloride gas, magnesium oxide, lithium oxide
Extinguishing method	Use dry powder and sand to extinguish fire. Do not use water or foam to extinguish fires
Special protective equipment	Put on full body protective clothing and self-contained breathing apparatus to fight the fire.

Section 6 – Accidental Release Measure

Personal protective measures	Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental protective measures	Take measures to prevent further leakage or overflow under safe conditions. Don't let the product go down the drain.
Methods for taking in and cleaning up	Collect, enclose and extract the leakage, and use liquid absorbing materials to absorb the spill into a suitable closed container for disposal as hazardous waste.

Section 7 – Handling and Storage

Safe handling	Operate under a fume hood. Avoid contact with skin and eyes. Avoid inhaling steam or fog droplets. Keep away from fire. Fireworks are strictly prohibited. Take measures to prevent static buildup. Avoid contact with water.
Storage	Store in a cool place. Keep the container airtight, protect it with nitrogen, and store it in a dry, ventilated place. Open containers must be carefully resealed and held upright to prevent leakage. Keep away from heat sources, sparks, open flames, and hot surfaces.

Section 8 – Exposure Controls/Personal Protection

Engineering Controls	Operate in accordance with good industrial hygiene and safety practices. Wash hands before breaks and at the end of work. Use only in chemical exhaust hood. Ensure adequate ventilation, especially in closed areas. Make sure the eyewash and shower are close to the workplace. Where possible,
-----------------------------	--

SAFETY DATA SHEET (SDS)

Product Name: Isopropylmagnesium chloride lithium chloride complex solution in THF

Date Prepared: Apr 28, 2023

engineering control measures such as process isolation or closure, the introduction of process or equipment changes to minimize the possibility of release or contact, and the adoption of properly designed ventilation systems shall be used to control hazardous material sources.

Respiratory protection

Wear a gas mask, or respiratory protective device.

Hand Protection

Handle with gloves. Gloves must be inspected prior to use and remove. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Wear chemical safety goggles.

Skin and body protection

Complete suit protecting against chemicals. Flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Section 9 – Physical and Chemical Properties

Physical state: Liquid

Color: Gray to black

Odor: Pungent smell

pH value: No data available

Melting point/freezing point(°C): No data available

Initial boiling point and boiling range(°C): No data available

Flash point(°C)(closed cup): -17 °C

Flammability: Flammable

Upper explosive limit%(V/V): No data available

Lower explosive limit%(V/V): No data available

Vapor pressure (hPa): No data available

Vapor density (g/mL): No data available

Relative density(/): 0.951 g/cm³

Solubility: No data available

Octanol / water partition coefficient: No data available

Kinematic viscosity (mm²/s): No data available

Auto-ignition temperature(°C): No data available

Decomposition temperature(°C): No data available

Particle characteristics: No data available

Section 10 – Stability and Reactivity

Chemical stability Sensitive to moisture

Possibility of hazardous reactions No data available

Avoid conditions Heat, moisture.

Incompatible materials No data available

Hazardous decomposition products peroxide

Section 11 – Toxicological Information

Acute toxicity: No data available.

Skin corrosion/irritation: The mixture can cause burns

Serious eye damage/eye irritation: The mixture can cause serious eye injuries. Danger of blindness!

Respiratory or skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: Suspected of causing cancer.

Reproductive toxicity: No data available.

Specific target organ toxicity – single exposure: The mixture can cause irritation of the respiratory tract

SAFETY DATA SHEET (SDS)

Product Name: Isopropylmagnesium chloride lithium chloride complex solution in THF

Date Prepared: Apr 28, 2023

Specific target organ toxicity – repeated exposure: No data available.

Aspiration hazard: No data available.

Section 12 – Ecological Information

Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

Section 13 – Disposal Considerations

Property of waste: No data available.

Methods of disposal: National and local regulations should be consulted before disposal. Contact with a qualified waste disposal agency for disposal.

Precautions of disposal: Contact professional waste disposal department to deal with waste.

Section 14 - Transport Information

UN number: 3399

UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.


(Contains Tetrahydrofuran, Isopropylmagnesium chloride lithium chloride complex)

Transportation primary hazard class: 4.3

Transportation secondary hazard class: 3

Packing group: II

Hazard labeling:



Marine Pollutants (Yes/No): Yes (《List of hazardous Marine pollution goods》)

Special precautions relating to transport or means of transport: The packing should be complete and the loading should be safe. During transportation, the container shall not leak, collapse, fall or be damaged. Transport vehicles and vessels must be thoroughly cleaned and disinfected, otherwise other articles may not be carried.

Section 15 - Regulatory Information

Regulatory Information: the following laws, regulations and standards provide for the safe use, storage, transport, handling, classification and labelling of chemicals:

List of chemicals	Is in the directory
List of hazardous chemicals under key supervision	-
List of highly toxic substances (2003 edition)	-

SAFETY DATA SHEET (SDS)

Product Name: Isopropylmagnesium chloride lithium chloride complex solution in THF

Date Prepared: Apr 28, 2023

List of explosive-prone hazardous chemicals (2017 edition)	-
List of hazardous chemicals (2015 edition)	-
Classification and catalogue of Precursor Chemicals	-

Standard Series for classification and labelling of chemicals (GB 30000.2-2013-GB30000.29-2013)

Regulations on the Safety Administration of Dangerous Chemicals (order of the State Council No. 591)

Section 16 - Additional Information

Prepared Date: Apr 28, 2023

References: The SDS is prepared in accordance with 《Chemical Safety Technical Instructions the Contents and Sequence》(GB/T16483-2008) and 《Guidance for Preparing Chemical Safety Technical Instructions》(GB_T 17519-2013). The GHS classification of chemicals in the SDS is based on the chemical classification and label specification series standard (GB 30000.2-2013 ~ GB30000.29-2013).

Disclaimer: The chemical registration center of the Ministry of Emergency Management has provided all the relevant information in this SDS, but we can not guarantee its absolute completeness and accuracy. This SDS only provides safety precautions for those who are properly trained to use the product. To obtain the individual users of this SDS, under special conditions of use, must make an independent judgment of the applicability of this SDS. Under special circumstances, the chemical registry shall not be liable for any injury caused by the use of this SDS.