

# SAFETY DATA SHEET

## 1. PRODUCT

### 1.1 Product identifiers

Name: Hafnium(IV) fluoride

CAS-No.: 13709-52-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 3), H331


Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	H315 Causes skin irritation. H318 Causes serious eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation.
Precautionary statement(s)	P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see supplemental first aid instructions on this label). P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with water liberates toxic gas.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula:  $F_4Hf$   
Molecular weight: 254.48 g/mol  
CAS-No.: 13709-52-9  
EC-No.: 237-258-0

## Hazardous components

Component	Classification	Concentration
Hafnium(IV) fluoride	Acute Tox. 3; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H315, H318, H331, H335	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>General advice</b>
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
<b>If inhaled</b>
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>In case of skin contact</b>
Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.
<b>In case of eye contact</b>
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>If swallowed</b>
Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry powder

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage.

Keep in a dry place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Hafnium(IV) fluoride	13709-52-9	TWA	2.500000 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants
	Remarks	CAS number varies with compound		
		TWA	2.500000 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) -Table Z-2
		Z37.28-1969		
		TWA	2.500000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Bone damage Fluorosis Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen varies		
		TWA	0.500000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Eye irritation		
		Liver damage		
		TWA	0.500000 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		TWA	2.500000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Bone damage Fluorosis Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen varies		
		TWA	2.5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants
		CAS number varies with compound		
		TWA	0.5 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Eye irritation Liver damage		
		TWA	2.5 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Bone damage Fluorosis Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen varies		
		TWA	0.5 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		PEL	2.5 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Hafnium(IV) fluoride	13709-52-9	Fluoride	3.0000 mg/g	Urine	ACGIH -Biological Exposure Indices (BEI)
	Remarks	Prior to shift (16 hours after exposure ceases)			
		Fluoride	10.0000 mg/g	Urine	ACGIH -Biological Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			
		Fluoride	2 mg/l	Urine	ACGIH -Biological Exposure Indices (BEI)
		Prior to shift (16 hours after exposure ceases)			
		Fluoride	3 mg/l	Urine	ACGIH -Biological Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

Eye/face protection	Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmental exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Form: powder Colour: beige
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

### 9.2 Other safety information

No data available

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Reacts violently with water.

### 10.4 Conditions to avoid

Exposure to moisture

### 10.5 Incompatible materials

Strong oxidizing agents, acids

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hafnium oxide

Other decomposition products - No data available

In the event of fire: see section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

<b>Acute toxicity</b>
No data available Dermal: No data available No data available
<b>Skin corrosion/irritation</b>
No data available
<b>Serious eye damage/eye irritation</b>
No data available
<b>Respiratory or skin sensitisation</b>
No data available
<b>Germ cell mutagenicity</b>
No data available
<b>Carcinogenicity</b>
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
<b>Reproductive toxicity</b>
No data available No data available
<b>Specific target organ toxicity -single exposure</b>
Inhalation - May cause respiratory irritation.
<b>Specific target organ toxicity -repeated exposure</b>
No data available
<b>Aspiration hazard</b>
No data available
<b>Additional Information</b>

RTECS: Not available  
Salivation, Nausea, Vomiting, Fever, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Product
Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
Contaminated packaging
Dispose of as unused product.

## 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 3288 Class: 6.1 Packing group: III

Proper shipping name: Toxic solid, inorganic, n.o.s. (Hafnium(IV) fluoride)

Poison Inhalation Hazard: No

### IMDG

UN number: 3288 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Hafnium(IV) fluoride)

### IATA

UN number: 3288 Class: 6.1 Packing group: III

Proper shipping name: Toxic solid, inorganic, n.o.s. (Hafnium(IV) fluoride)

## 15. REGULATORY INFORMATION

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard

## Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Hafnium(IV) fluoride	13709-52-9	2008-06-01

## New Jersey Right To Know Components

Component	CAS-No.	Revision Date
Hafnium(IV) fluoride	13709-52-9	2008-06-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage

H315 Causes skin irritation.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

### HMIS Rating

Health hazard: 4

Chronic Health Hazard:

Flammability: 0

Physical Hazard 0

### NFPA Rating

Health hazard: 4

Fire Hazard: 0

Reactivity Hazard: 0

---