# 1. PRODUCT

## **1.1 Product identifiers**

Name: Lead

CAS-No.: 7439-92-1

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Carcinogenicity (Category 2), H351

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Warning
Hazard statement(s)	H302 Harmful if swallowed. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	<ul> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.</li> <li>Rinse mouth.</li> <li>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</li> <li>P391 Collect spillage.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

No data available

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

Formula:

Pb

### Hazardous components

Component	Classification	Concentration
Lead		
	Acute Tox. 4; Carc. 2; Repr. 2; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H302, H351, H361, H373, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

### **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate

ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

# **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials

causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
	Remarks	See 1910.1025	See 1910.1025		
Lead	7439-92-1	TWA	0.05 mg/m3 USA. ACGIH Threshold Limit Values (TLV)		
		Confirmed animal carcinogen with unknown relevance to humans			
		TWA	TWA 0.05 mg/m3 USA. ACGIH Threshold Limit Values (TLV)		
		Central Nervous System impairment Hematologic effects Peripheral Nervous System impairment Substances for which there is a Biological Exposure Index or Indices BEI® section) Confirmed animal carcinogen with unknown relevance to humans			
		TWA	0.05 mg/m3	USA. NIOSH Recommended Exposure Limits	
		See Appendix C			

### **Biological occupational exposure limits**

Component	CAS-No.	Parameters		Biological specimen	Basis
Lead	7439-92-1	Lead	30µg/ 100 ml	In blood	ACGIH -Biological Exposure Indices (BEI)
	Remarks	Not critical			
		Lead	30µg/ 100 ml	In blood	ACGIH -Biological Exposure Indices (BEI)
		Not critical			

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

workday.

# Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
protection	Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance	Form: Shot
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: 327.4 °C (621.3 °F) - lit.
Initial boiling point and boiling range	1,740 °C (3,164 °F) - lit.
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

# 9.2 Other safety information

No data available

# **10. STABILITY AND REACTIVITY**

## **10.1 Reactivity**

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

No data available

### **10.5 Incompatible materials**

Strong acids

## **10.6 Hazardous decomposition products**

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Lead oxides

In the event of fire: see section 5

# **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

Acute toxicity	· · · · · · · · · · · · · · · · · · ·
No data available Inhalation: No data available Dermal: No data available No data available	other
Skin corrosion/irritation	
No data available	
Serious eye damage/eye irritation	
No data available	
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	
Rat Cytogenetic analysis	
Carcinogenicity	
Limited evidence of carcinogenicity in anima IARC: 2B - Group 2B: Possibly carcinogenic NTP: Reasonably anticipated to be a human Reasonably anticipated to be a human carcii based on the background information of the OSHA: 1910.1025 (Lead) OSHA specifically regulated carcinogen (Lea	to humans (Lead) carcinogen (Lead) nogenThe reference note has been added by TD NTP. (Lead)
Reproductive toxicity	

Suspected human reproductive toxicant Reproductive toxicity - Rat - Inhalation Effects on Newborn: Biochemical and metabolic.
Reproductive toxicity - Rat - Oral Effects on Newborn: Behavioral.
Reproductive toxicity - Mouse - Oral Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant
per # females mated ). Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Developmental Toxicity - Rat - Inhalation
Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow). Developmental Toxicity - Rat - Oral
Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow). Effects on Newborn: Growth statistics (e.g., reduced weight gain). Developmental Toxicity - Rat - Oral
Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death. Developmental Toxicity - Mouse - Oral Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.
Specific target organ toxicity -single exposure
No data available
Specific target organ toxicity -repeated exposure
May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard
No data available
Additional Information
RTECS: OF7525000
anemia Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# **12. ECOLOGICAL INFORMATION**

## 12.1 Toxicity

Toxicity to fish	mortality LOEC - Oncorhynchus mykiss (rainbow trout) - 1.19 mg/l - 96.0 h LC50 - Micropterus dolomieui - 2.2 mg/l - 96.0 h mortality NOEC - Salvelinus fontinalis - 1.7 mg/l - 10.0 d
Toxicity to daphnia and other aquatic invertebrates	mortality LOEC - Daphnia (water flea) - 0.17 mg/l - 24 h mortality NOEC - Daphnia (water flea) - 0.099 mg/l - 24 h
Toxicity to algae	mortality EC50 - Skeletonema costatum - 7.94 mg/l - 10 d
Toxicity to bacteria	No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

Bioaccumulation	Oncorhynchus kisutch - 2 Weeks - 150 μg/l Bioconcentration factor (BCF): 12	2
-----------------	---	---

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

# **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

## Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# **14. TRANSPORT INFORMATION**

# DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Lead)

Reportable Quantity (RQ): 10 lbs

Poison Inhalation Hazard: No

## IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)

Marine pollutant:yes

# ΙΑΤΑ

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lead)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing

inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

# **15. REGULATORY INFORMATION**

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Component	CAS-No.	Revision Date
Lead	7439-92-1	1994-04-01

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

Component	CAS-No.	Revision Date
Lead	7439-92-1	1994-04-01

#### Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Lead	7439-92-1	1994-04-01

### New Jersey Right To Know Components

Component	CAS-No.	Revision Date
Lead	7439-92-1	1994-04-01

### California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Component	CAS-No.	Revision Date
Lead	7439-92-1	1989-07-10
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.		

Component	CAS-No.	Revision Date
Lead 74	7439-92-1	1989-07-10

## **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

# **HMIS Rating**

Health hazard: 1

Chronic Health Hazard: \*

Flammability: 0

Physical Hazard 0

# **NFPA** Rating

Health hazard: 1

Fire Hazard: 0

Reactivity Hazard: 0