

天津誉特品科技有限公司

Tianjin YR ChemSpec Technology Co.,Ltd.

CERTIFICATE OF ANALYSIS

PRODUCT NAME: Ceramide VI INCI NAME: Ceramide AP

CAS NO.: <u>100403-19-8</u> BATCH NO.: **VI-20220701**

MANF. DATE: **Jul. 01,2022** EXP.DATE: **Jun. 30, 2025**

ANALYSIS DATE: Jul. 08,2022 QUANTITY:30.5KGS

STORAGE: Store in cool and dry places. Keep away from strong light and heat

| DETECH ITEM | STANDARD | RESULT |
|-------------------------------|--|----------|
| Appearance | White to off white Powder | Conform |
| Identification | In the chromatogram recorded under content determination, the retention time of the main peak of the test solution shall be consistent with that of the standard solution. | Conform |
| Loss of drying | €2.0% | 0.2% |
| Residue on ignition | ≤0.5% | 0.02% |
| Heavy Metals | ≤20 ppm | Conform |
| Total Aerobic Bacteria, cfu/g | ≤1000 cfu/g | <1 cfu/g |
| Yeast & Mold | ≤100 cfu/g | <1 cfu/g |
| Purity | ≥90.0% | 94.7% |
| Assay | ≥90.0% | 95.6% |

Conclusion:

The above Specifications comply with enterprice standard.

ANALYSER:

Add: 908, Changqing Building, Weishan-Nan Road, Jinnan District, Tianjin, China 300350

Tel:0086-22-27607566; Fax:0086-22-27607566 E-mail:sales@yrspec.com; han@yrspec.com

Https://www.yrchemspec.com; Http://www.yrspec.com