

CERTIFICATE OF ANALYSIS

Hangzhou H		CAS	:33818-15-4	1	
Hangzhou H			:230801		
	luarong	Quantity	:750Kg		
C		Date of Manufacture	:2023-08-08		
Pharm Co., 1	Limited	Expiry Date	:2026-08-07		
		Sampling Date	:2023-08-20		
		Report Date	:2023-08-22	2	
Certificate of Analysis No.:	: CDP-C 20230				
Product name	: Citicoline Soc	dium			
Grade	: Pharmaceutic	: Pharmaceutical grade			
Storage	: Airtight and F	: Airtight and Room temperature			
Labeling	: As stated				
Analysis Standard	: USP43	1	1		
		TROL TESTS APPLIED			
Test items	Requirements		Resu	ılts	
Identification	1 '	on time of the major peak of	1110	e 1) Complied	
		tion corresponds to that of	i ine		
	Standard solution, as obtained in the Assay.				
	2)IR: consistent with the spectrum obtained		ined 2) Co	2) Complied	
	with reference	Substance.	ce.		
Chloride	N.M.T. 0.015%	ó	Com	plied	
Sulfate	N.M.T. 0.020%	ó	Com	plied	
Related Compounds					
5'-Cytidylic acid	N.M.T. 0.2%	*	0.01	8%	
Cytidine-5'-monophosphate			2.00	407	
Cytidine-3 -monophosphate	N.M.T. 0.15%		0.00	1%	
methylester					
	N.M.T. 0.1%		0.003	3%	
methylester	N.M.T. 0.1% N.M.T. 0.7%	÷	0.003		
Methylester Any unspecified impurity		÷		3%	