# SAFETY DATA SHEET

### 1. PRODUCT

### 1.1 Product identifiers

Name: Potassium hexacyanoferrate(III)

CAS-No.: 13746-66-2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Synthesis of substances

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

## 2.2 GHS Label elements, including precautionary statements

No data available

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates very toxic gas.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms: Red prussiate

Potassium ferricyanide

Formula:  $C_6 \text{FeK}_3 \text{N}_6$  Molecular weight: 329.24 g/mol CAS-No.: 13746-66-2 EC-No.: 237-323-3

#### **Hazardous components**

Component	Classification	Concentration	
Tripotassium hexacyanoferrate			
		<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

General advice
Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact
Wash off with soap and plenty of water. Consult a physician.
In case of eye contact

#### In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.2 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

### **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Avoid breathing dust.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Tripotassium hexacyanoferrate	13746-66-2	С	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Upper Respiratory Tract irritation Headache Nausea Thyroid effects Danger of cutaneous absorption varies			
		С	5.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Headache Nausea Thyroid effects Danger of cutaneous absorption varies			
		TWA	1.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Skin irritation varies			
		С	4.700000 ppm 5.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		10 minute ceilir	ng value		
	TWA 1.000000 USA. NIOSH F		USA. NIOSH Recommended Exposure Limits		
- ACON		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) -Table Z-1 Limits for Air Contaminants	
		CAS number va	AS number varies with compound Skin designation		
		С	5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Headache Nausea Thyroid effects Danger of cutaneous absorption varies			
		TWA 1 mg/m3 USA. ACGIH Threshold Limit Values (TLV)		USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Skin irritation varies			
		С	4.7 ppm 5 mg/m3	USA. NIOSH Recommended Exposure Limits	
		10 minute ceiling value			
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits	
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Skin protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  Full contact  Material: Nitrile rubber  Minimum layer thickness: 0.11 mm  Break through time: 480 min  Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)  Splash contact  Material: Nitrile rubber  Minimum layer thickness: 0.11 mm  Break through time: 480 min  Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)  data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374  If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Body Protection	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

protection	Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
Control of environmen tal exposure	Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Appearance	Form: crystalline	
Odour	No data available	
Odour Threshold	No data available	
pH	6.0 - 9 at 329 g/l at 25 °C (77 °F)	
Melting point/freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	No data available	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Upper/lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	1.890 g/cm3	
Water solubility	329 g/l at 20 °C (68 °F) - completely soluble	
Partition coefficient: n-octanol/water	No data available	
Auto-ignition temperature	No data available	
Decomposition temperature	No data available	
Viscosity	No data available	
Explosive properties	No data available	
Oxidizing properties	No data available	

# 9.2 Other safety information

No data available

## 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

Contact with acids liberates very toxic gas.

## 10.2 Chemical stability

May discolor on exposure to light.

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong acids, Strong oxidizing agents, Ammonia, hydrochloric acid, Cyanides

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Potassium oxides, Iron oxides

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Mouse - 2,970 mg/kg Inhalation: No data available Dermal: No data available No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

No data available

### Specific target organ toxicity -single exposure

No data available

### Specific target organ toxicity -repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: LJ8225000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 869 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 549 mg/l - 48 h
Toxicity to algae	No data available
Toxicity to bacteria	No data available

### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

#### 12.6 Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Product
Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging
Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Tripotassium hexacyanoferrate)

Reportable Quantity (RQ): 10 lbs
Poison Inhalation Hazard: No

#### **IMDG**

Not dangerous goods

### **IATA**

Not dangerous goods

### 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De

Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

No SARA Hazards

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know Components

Component	CAS-No.	Revision Date
Tripotassium hexacyanoferrate	13746-66-2	1989-08-11

## **New Jersey Right To Know Components**

Component	CAS-No.	Revision Date
Tripotassium hexacyanoferrate	13746-66-2	1989-08-11

## California Prop. 65 Components

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

		<u> </u>
Component	CAS-No.	Revision Date
Tripotassium hexacyanoferrate	13746-66-2	2013-07-26

### **16. OTHER INFORMATION**

# **HMIS Rating**

Health hazard: 1

Chronic Health Hazard:

Flammability: 0

Physical Hazard 0

# **NFPA Rating**

Health hazard: 0

Fire Hazard: 0

Reactivity Hazard: 0