MATERIAL SAFETY DATA SHEET For R&D use only. Not for drug, household or other uses.

Composition/Information on Ingredient 123-91-1

Code:

RTECS:

Code:

Name:

Other REC Limits: NONE SPECIFIED BY M.

OSHA PEL: 2 S, 100 PPM

OSHA STEL:

ACGIH TLV: S, 25 PPM; 9293

ACGIHSTEL:

Control Measures

LOCAL EXHAUST/GENERAL TO MAINTAIN PEL/TLV.

Equipment SAFETY SHOWER EYEWASH STATION SHOULD BE AVAILABLE.

Respiratory Protection:

Protective Gloves: NEOPRENE/VITON

Eye Protection:

5 N/P

CHEM.SAFETY GOGGLES

Other Protective Equipment:

Supplemental Safety and Health:

Health Hazards Data

Route Of Entry Inds - Inhalation:

Carcinogenicity Inds - NTP:

Health Hazards Acute And Chronic:

Explanation Of Carcinogenicity:

IN EXTREME CASES.

MEDICAL HELP IMMEDIATELY.

Spill Release Procedures:

DO NOT FLUSH TO SEWER.

Waste Disposal Methods:

APPROVED PROCEDURES.

Other Precautions:

Flash Point Method:

TCC

Flash Point:

NONE 4

Flash Point Text:

Autoignition Temp:

Lower Limits:

Upper Limits:

TOXIC GASES.

NRC/State LIC No:

Boiling Point:

Melt/Freeze Pt:

M.P/F.P Text:

Decomp Temp:

Decomp Text: UNKNOWN

Vapor Pres: 100 MMHG

Vapor Density:

Spec Gravity:

VOC Pounds/Gallon:

VOC Grams/Liter:

Evaporation Rate & Reference:

CLEAR, COLORLESS LIQUID, MILDLY SWEET ODOR.

1.32

PH: N/R

Viscosity:

0.4 (ETHER =1)

Corrosion Rate:

Stability Indicator:

Materials To Avoid:

NOT KNOWN 6

Information:N/P

Information:N/P

NEGLIGIBLE

100

YES

Solubility in Water:

Appearance and Odor:

Percent Volatiles by Volume:

Reactivity Data

Stability Condition To Avoid:

CONTACT WITH OPEN FLAME, HOT SURFACES.

Hazardous Decomposition Products: HYDROGEN CHLORIDE, PHOSGENE.

Hazardous Polymerization Indicator:

Conditions To Avoid Polymerization:

Toxicological Information

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

www.lookchem.com

Other Information:N/P

MSDS Transport Information

For R&D use only. Not for drug, household or other uses.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any

guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from

handling or from contact with the above product. See reverse side of invoice or packing slip for additional

WARRANTY

terms and conditions of sale.

STRONG ALKALIES, OXIDIZERS REACTIVE MATERIALS.

Volatile Org Content %:

N/R

B.P. Text: 165F/74C

Net Prop WT For Ammo:

HCC:

Extinguishing Media:

Fire Fighting Procedures:

Unusual Fire/Explosion Hazard:

WATER, FOAM, DRY CHEMICAL, CARBON DIOXIDE (CO*2)

Physical/Chemical Properties

7.5

Autoignition Temp Text:

Handling And Storage Precautions:

STRICT HYGIENE FOR CHEM HANDLING.

Neutralizing Agent:

Signs And Symptions Of Overexposure:

Medical Cond Aggravated By Exposure:

CHRONIC: DERMATITIS, LIVER AND HEART DISORDERS.

PRE-EXISTING CONDITIONS EFFECTING LIVER AND HEART.

1,4 DIETHYLENE DIOXIDE IS LISTED BY NTP AND IARC AS A POSSIBLE CARCINOGEN. 3

Work Hygienic Practices:

LD50LC50Mixture:

UNKNOWN

Skin: YES

YES

IARC: YES

OSHA:

Ingestion:

Code:

Code:

Code: Μ

NΡ Code:

1,4-DIOXANE (DIETHYLENE DIOXIDE) (SARA III)

USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR IF ABOVE PEL/TVL OR USE SCBA IN AN ENCLOSED AREA.

AVOID CONTACT WITH SKIN AND EYES;DO NOT BREATHE VAPORS/MIST;DO NOT EAT,SMOKE OR DRINK IN WORK AREA.

ACUTE-EYE: IRRITATION WITH POSSIBLE CORNEAL INJURY. SKIN: IRRITATION, DEFATTING. INHALATION: DIZZINESS, DROWSINESS, THROAT

EYE:IRRITATION, REDNESS AND PAIN. INHALATION:DIZZINESS, DROWSINESS, NAUSEA, VOMITING, UNCONSCIOUSNESS & EVEN DEATH

INHALATION: REMOVE TO FRESH AIR, PROVIDE CPR/OXYGEN IF NEEDED. EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES. SKIN CONTACT: WASH WITH SOAP AND WATER. GET MED ATTENTION IF SYMPTOMS PERSIST. INGESTION: DO NO T INDUCE VOMITING, GET

EVACUATE THE AREA, VENTILATE & AVOID BREATHG VAP.USE APPROPRIATE PROTECTIVE GEARS. DIKE AREA TO CONTAIN SPILL. VACUUM UP OR ABSORB WITH INERT MATL & PLACE IN CLOSED CONTAINERS FOR DISPOSAL. AVOID CONTA MINATING GROUND WATER.

RECOVERED LIQUIDS MAY BE SENT TO LICENSED RECLAIMER OR INCINERATION FACILITY. CONTAMINATED MATERIAL MUST BE DISPOSED OF IN A PERMITTED WASTE MANAGEMENT FACILITY. CONSULT FEDERAL, STATE OR LOCAL DISPOSA L AUTHORITIES FOR

STORE IN COOL, DRY, WELL VENTILATED, LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE. KEEP CONTAINERS CLOSED. MAINTAIN

AVOID CONTCT W/SKIN & AVOID BREATHG VAP.DO NOT WORK AROUND SPILLED AREA.DO NOT EAT/DRINK IN WORK AREA; NOTE TO

DR; ADRENLIN SHOULD NEVER BE GIVEN TO PERSONS OVEREXPOSED TO 1,1,1-TRICHLOROETHANE.

FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING AND SELF-CONTAINED BREATHING APPARATUS.

VAPORS CAN BE IGNITED BY HIGH INTENSITY IGNITION SOURCES. DECOMPOSES IN FIRE OR ON CONTACT WITH HOT SURFACES TO

Fire and Explosion Hazard Information

IRRITATION(ABOVE 1,000PPM); UNCONSCIOUSNESS, CNS DEPRESSION, CARDIAC SENSITIZATION(AB OVE 10,000PPM).

JG8225000

Click http://www.lookchem.com/cas-123/123-91-1.html for suppliers of this product.