MATERIAL SAFETY DATA SHEET For R&D use only. Not for drug, household or other uses.

NO SPECIAL RESP PROTECTION IS NORMALLY REQUIRED. HOWEVER IF OPERATING CONDITIONS CREATE AIRBORNE CONCEN WHICH EXCEED RECOMMENDED EXPOSURE STDS USE OF APPROVED RESP REQUIRED.REFER TO OSHA

Click http://www.lookchem.com/cas-994/994-05-8.html for suppliers of this product.

Code:

TERT-AMYL METHYL ETHER

RTECS:

Code:

Name:

Other REC Limits: NONE RECOMMENDED

NOT ESTABLISHED

OSHA PEL:

OSHA STEL:

ACGIH TLV:

ACGIHSTEL:

Ventilation:

Protective Gloves:

Eye Protection:

CHEMICAL GOGGLES.

Work Hygienic Practices:

Other Protective Equipment:

Supplemental Safety and Health:

Health Hazards Data

NOT ESTABLISHED

Control Measures

BENZENE STD TO DETERMNE TY OF RESP BASED ON EXPO LEVEL

Equipment SKIN CONTACT CAN BE MIN BY WEARING PROTECTIVE CLOTHING.

LAUNDER CONTAMIN CLOTHING PRIOR TO REUSE. FOLLOW GOOD WORK HYGIENE PRACTICES.

IF SPILL REACHES ANY SURFACE WATERS CALL US COAST GUARD NAT RESP CNTR 800-424-8802.

USE THIS MATERIAL ONLY IN WELL VENTILATED AREAS.

NO SPECIAL PROTECTION USUALLY NECESSARY.

Respiratory Protection:

Code:

Code: M

NΡ Code:

994-05-8

Composition/Information on Ingredient

LD50 ORAL, RATS >5ML/KG. Route Of Entry Inds - Inhalation: Skin: YES Ingestion: Carcinogenicity Inds - NTP:

YES

LD50LC50Mixture:

IARC: OSHA: **Health Hazards Acute And Chronic:** EYE:SLIGHTLY IRRIT, IMPAIR VISION.SKIN:CRACK/DRY SKIN FROM DEFATTING.INGEST:SLIGHTLY TOXIC TO INTERNAL ORGANS.TARGET ORGAN: CNS.ASPIRATION HAZ & MAY CAUSE SEVERE LUNG INJURY & DEATH.INHAL: SLIGHTLY TOXIC TO INTERNAL ORGANS.CNS EFFECTS,COMA,DEATH,CONVULSIONS,DELIRIUM,HALLUCINATIONS. **Explanation Of Carcinogenicity:** CONTAINS BENZENE. IARC PLACED WHOLE GASOLINE EXHAUST IN CATEGORY 2B CONSIDERING IT POSSIBLY CARCINOGENIC TO HUMANS.

Signs And Symptions Of Overexposure: EYE: MAY INCLUDE PAIN, TEARS, SWELLING, REDNESS, AND BLURRED VISION. INGEST: MAY INCLUDE ONE OR MORE OF FOLLOWING: HEADACHE, DIZZ, LOSS OF APPETITE, WEAKNESS, LOSS OF COORDINATION. **Medical Cond Aggravated By Exposure:** NONE SPECIFIED BY MFG. First Aid: EYE:FLUSH IMMED W/WATER FOR @ LEAST 15MINS OPENING EYELIDS.REMOVE CONTACT LENSES.IF IRRIT PERSISTS SEE DR. SKIN: PRECAUTION WASH THOROUGHLY W/SOAP & WATER. REMOVE CONTAMIN CLOTHING. INGEST: GIVE WATER OR MILK TO DRINK. CALL MED ADVICE/TAKE TO EMERG CNTR/HOSPITAL.DO NOT INDUCE VOMIT UNLESS DIRECTED BY MED PERSONNEL.INHAL:MOVE TO FRESH AIR.SEE DR IF SYMPTOMS CONTINUE. **Spill Release Procedures:**

ELIMINATE ALL IGN SOURCES.CLEANUP IMMED.WATER POLLUTANT; PREVENT FROM CONTAMIN SOIL/WATER/DRAINAGE/SEWER SYS.CLANU W/APPROPRIATE TECHNIQUES:SORBENT MATLS; PUMPING.IF FEASIBLE REMOVE CONTAMIN SOIL.FOLLOW PROCEDURES FOR REPORTING/RESPONDING TOLG SPILLS. **Neutralizing Agent:** NONE SPECIFIED BY MFG. **Waste Disposal Methods:** IF TO BE DISCARDED MAY MEET CRITERIA OF HAZ WASTE AS DEF BY USEPA UNDER RCRA(40CFR261)OR OTHER STATE/LOC REGS.MEASUREMENT OF CERTAIN PHYS PROP & ANALYSIS FOR REGULATED CMPNTS MAY BE NECESSARY TO MAKE CORRECT DETERMINATION.IF HAZ WASTE USE LIC FACILIT **Handling And Storage Precautions:** NEVE SIPHON GASOLINE BY MOUTH.READ/OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.USE ONLY AS MOTOR FUEL.DO NOT USE FOR CLEANING/PRESS APLICANCE FUEL/OTHER. **Other Precautions:**

DO NOT USE/STORE NEAR FLAME/SPARKS/HOT SURFACES.USE ONLY IN WELL VENTILATED AREA.DO NOT TRANSFER LIQ TO UNLABELED CNTNR.DO NOT WELD/HEAT/DRILL CNTNR.REPLACE CAP/BUNG.EMPTIED CNTNR STILL CONTAINS HAZ/E XPLOSIVE VAP/LIQ. 5 Fire and Explosion Hazard Information **Flash Point Method:** N/P Flash Point: **Flash Point Text:** -49F,-45C **Autoignition Temp: Autoignition Temp Text: Lower Limits:**

Upper Limits: Extinguishing Media: ALCOHOL RESISTANT TYPE (AR) AFFF, CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED/CONFINED FIRE SPACE W/O PROPER PROTECTIVE EQPMT INCLUDING SCBA. **Unusual Fire/Explosion Hazard:** EXTREME FIRE HAZ.LIQ VERY QUICKLY EVAPORATES.FORMS VAP/FUMES WHICH CAN CATCH FIRE & BURN W/EXPLOSVIE VIOLENCE.VAP SPREADS & SET ON FIRE BY IGN SOURCES. Physical/Chemical Properties HCC: NRC/State LIC No: N/R Net Prop WT For Ammo: **Boiling Point:**

B.P. Text: 77.0F,25.0C Melt/Freeze Pt: M.P/F.P Text: N/A **Decomp Temp: Decomp Text:** N/K Vapor Pres: 5-15PSI Vapor Density:

Volatile Org Content %: **Spec Gravity:** 0.7-0.8 **VOC Pounds/Gallon:** PH: N/K **VOC Grams/Liter:** Viscosity: N/K **Evaporation Rate & Reference:** Solubility in Water: INSOLUBLE. **Appearance and Odor:** ORANGE OT BRONZE LIQUID. **Percent Volatiles by Volume:** 99 +**Corrosion Rate:** Reactivity Data

Stability Indicator:

Materials To Avoid:

MONOXIDE.

NOT RELEVANT.

Information:N/P

Information:N/P

Stability Condition To Avoid:

Hazardous Decomposition Products:

Hazardous Polymerization Indicator:

Conditions To Avoid Polymerization:

Toxicological Information

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

www.lookchem.com

Other Information:N/P

MSDS Transport Information

NO DATA AVAILABLE. HOWEVER AVOID HEAT/FLAMES/OTHER SOURCES OF IGNITION.

MAY REACT W/STRONG OXIDIZING AGENTS SUCH AS CHLORATES, NITRATES, PEROXIDES, ETC.

NO DATA AVAILABLE. NORMAL COMBUSTION FORMS CARBON DIOXIDE &WATER VAP; INCOMPLETE COMBUSTION CAN PRODUCE CARBON

For R&D use only. Not for drug, household or other uses.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any

guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from

handling or from contact with the above product. See reverse side of invoice or packing slip for additional

WARRANTY

terms and conditions of sale.