

## Material Safety Data Sheet

Date Printed: 10/OCT/2005  
Date Updated: 04/OCT/2005  
Version 1.9  
According to 91/155/EEC

Classified as Hazardous according to the criteria of EU Annex 1 and NOHSC.

---

#### 1 - Product and Company Information

---

Product Name	1,8-DIAZABICYCLO(5.4.0)UNDEC-7-ENE, 98%
Product Number	139009
Company	Sigma-Aldrich Pty. Ltd. 12 Anella Avenue Castle Hill NSW 2154 Australia
Technical Phone #	+61 2 9841 0555 (1800 800 097)
Fax	+61 2 9841 0500 (1800 800 096)
Emergency Phone #	+44 8701906777 (1800 448 465)

---

#### 2 - Composition/Information on Ingredients

---

Product Name	CAS #	EC no	Annex I Index Number
1,8-DIAZABICYCLO(5.4.0)UNDEC-7-ENE	6674-22-2	229-713-7	None
Formula	C9H16N2		
Molecular Weight	152.24 AMU		

---

#### 3 - Hazards Identification

---

##### SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT

Harmful if swallowed. Causes burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

---

#### 4 - First Aid Measures

---

##### AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

##### AFTER SKIN CONTACT

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

##### AFTER EYE CONTACT

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

##### AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician. Do not induce vomiting.

---

#### 5 - Fire Fighting Measures

---

## EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate foam.

## SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

## SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

---

## 6 - Accidental Release Measures

### PERSONAL PRECAUTION PROCEDURES TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area.

### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

### METHODS FOR CLEANING UP

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

---

## 7 - Handling and Storage

### HANDLING

Directions for Safe Handling: Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

### STORAGE

Conditions of Storage: Keep tightly closed.

### SPECIAL REQUIREMENTS: Air sensitive.

---

## 8 - Exposure Controls / Personal Protection

### ENGINEERING CONTROLS

Safety shower and eye bath. Use only in a chemical fume hood.

### GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

### PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Government approved respirator.

Hand Protection: Compatible chemical-resistant gloves.

Eye Protection: Chemical safety goggles.

Special Protective Measures: Faceshield (8-inch minimum).

---

## 9 - Physical and Chemical Properties

Appearance	Physical State: Clear liquid
	Color: Yellow
	Odor: Unpleasant odor.

Property	Value	At Temperature or Pressure
pH	12.8	20 °C Concentration: 10

		g/l
BP/BP Range	80.0 - 83.0 °C	0.6 mmHg
MP/MP Range	- 70.0 °C	
Flash Point	113 °C	Method: closed cup
Flammability	N/A	
Autoignition Temp	260 °C	
Oxidizing Properties	N/A	
Explosive Properties	N/A	
Explosion Limits	Lower: 1.1 % Upper: 6.5 %	
Vapor Pressure	5.3 mmHg	37.7 °C
SG/Density	1.018 g/cm <sup>3</sup>	
Partition Coefficient	Log Kow: <. - 2.2	
Viscosity	N/A	
Vapor Density	N/A	
Saturated Vapor Conc.	N/A	
Evaporation Rate	N/A	
Bulk Density	N/A	
Decomposition Temp.	N/A	
Solvent Content	N/A	
Water Content	N/A	
Surface Tension	N/A	
Conductivity	N/A	
Miscellaneous Data	N/A	
Solubility	N/A	

---

## 10 - Stability and Reactivity

---

### STABILITY

Stable: Stable.

Conditions of Instability: May discolor on exposure to air.

Absorbs carbon dioxide from air.

Materials to Avoid: Acid chlorides, Acid anhydrides, Oxidizing agents, Chloroformates, Acids.

### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, and nitrogen oxides.

### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

---

## 11 - Toxicological Information

---

### ACUTE TOXICITY

LD50

Oral

Rat

\*

### SIGNS AND SYMPTOMS OF EXPOSURE

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

### ROUTE OF EXPOSURE

Skin Contact: Causes burns.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes burns.

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if inhaled.

Ingestion: Harmful if swallowed.

---

## 12 - Ecological Information

---

### ELIMINATION

Elimination: < 20 %

BIOACCUMULATION POTENTIAL: No indication of bioaccumulation.

### ECOTOXICOLOGICAL EFFECTS

Test Type: LC50 Fish

Species: *Leuciscus idus*

Time: 96 h

Value: > 100.0 - < 220.0 mg/l

Test Type: EC50 Daphnia

Species: *Daphnia magna*

Time: 48 h

Value: 50 mg/l

Test Type: EC50 Algae

Species: *Scenedesmus subspicatus*

Time: 72 h

Value: > 100 mg/l

---

## 13 - Disposal Considerations

---

### SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

---

## 14 - Transport Information

---

### RID/ADR

UN#: 3267

Class: 8

PG: II

Proper Shipping Name: Corrosive liquid, basic, organic, n.o.s.

### IMDG

UN#: 3267

Class: 8

PG: II

Proper Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

Marine Pollutant: No

Severe Marine Pollutant: No

Technical Name: Required

### IATA

UN#: 3267

Class: 8

PG: II

Proper Shipping Name: Corrosive liquid, basic,

organic, n.o.s.

Inhalation Packing Group I: No  
Technical Name: Required

---

## 15 - Regulatory Information

---

### CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

INDICATION OF DANGER: C

Corrosive.

R-PHRASES: 22-34-52/53

Harmful if swallowed. Causes burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-PHRASES: 26-36/37/39-45

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### COUNTRY SPECIFIC INFORMATION

Germany

WGK: 2

---

## 16 - Other Information

---

### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.  
Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

### DISCLAIMER

For R&D use only. Not for drug, household or other uses.