

Material Safety Data Sheet

Date Printed: 16/NOV/2004

Date Updated: 12/MAR/2004

Version 1.2

According to 91/155/EEC

Classified as Hazardous according to the criteria of EU Annex 1 and NOHSC.

1 - Product and Company Information

Product Name	ANTHRAQUINONE-2-SULFONIC ACID, SODIUM SA LT MONOHYDRATE, 97%
Product Number	123242
Company	Sigma-Aldrich Pty, Ltd Unit 2, 14 Anella Avenue Castle Hill NSW 1765 Australia
Technical Phone #	+61 2 9841 0555
Fax	+61 2 9841 0500
Emergency Phone #	+61 2 9841 0566

2 - Composition/Information on Ingredients

Product Name	CAS #	EC no	Annex I Index Number
ANTHRAQUINONE-2-SULFONIC ACID SODIUM SALT	131-08-8	205-009-5	None
Formula	C14H8O5S.Na		
Molecular Weight	328.28 AMU		
Synonyms	9,10-Anthraquinone-2-sodium sulfonate *		
	2-Anthraquinonesulfonate sodium *		
	Anthraquinone-2-sulfonate sodium salt *		
	2-Anthraquinonesulfonic acid sodium salt *		
	Silver salt * Sodium-2-anthrachinonesulphonate *		
	Sodium beta-anthraquinonesulfonate * Sodium		
	2-anthraquinonesulfonate * Sodium		
	9,10-anthraquinone-2-sulfonate *		
	2-Sulfoanthraquinone sodium salt		

3 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT
Irritating to eyes, respiratory system and skin.

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

AFTER SKIN CONTACT

In case of contact, immediately wash skin with soap and copious amounts of water.

AFTER EYE CONTACT

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

5 - Fire Fighting Measures

EXTINGUISHING MEDIA

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6 - Accidental Release Measures

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Do not breathe dust. Do not get in eyes, on skin, on clothing.

STORAGE

Conditions of Storage: Keep tightly closed. Store in a cool dry place.

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Wash thoroughly after handling.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Government approved respirator.

Hand Protection: Rubber gloves.

Eye Protection: Chemical safety goggles.

9 - Physical and Chemical Properties

Appearance

Color: Light beige
Form: Powder

Property

Value

At Temperature or Pressure

pH	N/A
BP/BP Range	N/A
MP/MP Range	300 °C
Flash Point	N/A
Flammability	N/A
Autoignition Temp	N/A
Oxidizing Properties	N/A
Explosive Properties	N/A
Explosion Limits	N/A
Vapor Pressure	N/A
SG/Density	N/A
Partition Coefficient	N/A
Viscosity	N/A
Vapor Density	N/A
Saturated Vapor Conc.	N/A
Evaporation Rate	N/A
Bulk Density	N/A
Decomposition Temp.	N/A
Solvent Content	N/A
Water Content	N/A
Surface Tension	N/A
Conductivity	N/A
Miscellaneous Data	N/A
Solubility	N/A

10 - Stability and Reactivity

STABILITY

Materials to Avoid: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Sulfur oxides.

11 - Toxicological Information

RTECS NUMBER: CB1095550

ACUTE TOXICITY

LD50
Intraperitoneal
Rat
730 MG/KG

LD50
Intraperitoneal
Mouse
630 MG/KG

LD50
Oral
Guinea pig
21000 mg/kg
Remarks: Liver:Liver function tests impaired. Kidney, Ureter, Bladder:Renal function tests depressed.

SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ROUTE OF EXPOSURE

Inhalation: Material is irritating to mucous membranes and upper respiratory tract.

Multiple Routes: May be harmful by inhalation, ingestion, or skin absorption. Causes eye and skin irritation.

12 - Ecological Information

No data available.

13 - Disposal Considerations

SUBSTANCE DISPOSAL

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

14 - Transport Information

RID/ADR

Non-hazardous for road transport.

IMDG

Non-hazardous for sea transport.

IATA

Non-hazardous for air transport.

15 - Regulatory Information

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

INDICATION OF DANGER: Xi

Irritant.

R-PHRASES: 36/37/38

Irritating to eyes, respiratory system and skin.

S-PHRASES: 26 36

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing.

SWITZERLAND

SWISS POISON CLASS: 4

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2004 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.