

Material Safety Data Sheet

Date Printed: 17/NOV/2004

Date Updated: 13/MAR/2004

Version 1.3

According to 91/155/EEC

Classified as Hazardous according to the criteria of EU Annex 1 and NOHSC.

1 - Product and Company Information

Product Name	APROTININ, BOVINE LUNG FOR GEL FILTRATION CHROMATOGRAPHY
Product Number	A3886
Company	Sigma-Aldrich Pty, Ltd Unit 2, 14 Anella Avenue Castle Hill NSW 1765 Australia
Technical Phone #	+61 2 9841 0555
Fax	+61 2 9841 0500
Emergency Phone #	+61 2 9841 0566

2 - Composition/Information on Ingredients

Product Name	CAS #	EC no	Annex I Index Number
APROTININ FROM BOVINE LUNG	9087-70-1	232-994-9	None
Formula	C284H432N84O79S7		
Molecular Weight	6,512.42 AMU		
Synonyms	Antikrein * Antilysin * Antilysine * Aprotinin * Basic pancreatic trypsin inhibitor * Bayer A-128 * Fosten * Kallikrein-trypsin inactivator * Kir richter * Onquinin * Repulson * Riker 52G * RP-9921 * Pancreatic basic trypsin inhibitor * Pancreatic trypsin inhibitor * Pancreatic trypsin inhibitor (kunitz) * Trasylol * Trazinin * Trypsin inhibitor * Trypsin-kallikrein inhibitor (kunitz) * Zymofren		

3 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT
May cause sensitization by inhalation and skin contact.

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If breathing becomes difficult,
call a physician.

AFTER SKIN CONTACT

In case of skin contact, flush with copious amounts of water for
at least 15 minutes. Remove contaminated clothing and shoes.
Call a physician.

AFTER EYE CONTACT

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

5 - Fire Fighting Measures

EXTINGUISHING MEDIA

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6 - Accidental Release Measures

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Conditions of Storage: Keep tightly closed.
Store at -20°C

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Mechanical exhaust required.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

Special Protective Measures: Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.

9 - Physical and Chemical Properties

Appearance

Physical State: Solid
Color: White
Form: Powder

Property	Value	At Temperature or Pressure
pH	N/A	
BP/BP Range	N/A	
MP/MP Range	N/A	
Flash Point	N/A	
Flammability	N/A	
Autoignition Temp	N/A	
Oxidizing Properties	N/A	
Explosive Properties	N/A	
Explosion Limits	N/A	
Vapor Pressure	N/A	
SG/Density	N/A	
Partition Coefficient	N/A	
Viscosity	N/A	
Vapor Density	N/A	
Saturated Vapor Conc.	N/A	
Evaporation Rate	N/A	
Bulk Density	N/A	
Decomposition Temp.	N/A	
Solvent Content	N/A	
Water Content	N/A	
Surface Tension	N/A	
Conductivity	N/A	
Miscellaneous Data	N/A	
Solubility	N/A	

10 - Stability and Reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Nature of decomposition products not known.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

11 - Toxicological Information

RTECS NUMBER: YN5080000

ACUTE TOXICITY

LD50

Intraperitoneal

Rat

>40 ML/KG

Remarks: Behavioral:Somnolence (general depressed activity).

LD50

Subcutaneous

Rat

>40 ML/KG

Remarks: Behavioral:Somnolence (general depressed activity).

LD50

Intraperitoneal

Mouse

>50 ML/KG

Remarks: Behavioral:Somnolence (general depressed activity).

LD50

Subcutaneous

Mouse

>50 ML/KG

Remarks: Behavioral:Somnolence (general depressed activity).

SENSITIZATION

Respiratory: May cause allergic respiratory reaction.

Skin: May cause allergic skin reaction.

SIGNS AND SYMPTOMS OF EXPOSURE

Exposure can cause nausea, vomiting, diarrhea, muscle pains, blood pressure changes, and bronchospasm. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: May cause eye irritation.

Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Species: Mouse

Dose: 160 MG/KG

Route of Application: Intrauterine

Exposure Time: (2D PREG)

Result: Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea).

12 - Ecological Information

No data available.

13 - Disposal Considerations

SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

14 - Transport Information

RID/ADR

Non-hazardous for road transport.

IMDG

Non-hazardous for sea transport.

IATA

Non-hazardous for air transport.

15 - Regulatory Information

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

INDICATION OF DANGER: Xn

Harmful.

R-PHRASES: 42/43

May cause sensitization by inhalation and skin contact.

S-PHRASES: 22 36/37 45

Do not breathe dust. Wear suitable protective clothing and gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2004 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.