

## Material Safety Data Sheet

Date Printed: 03/FEB/2005

Date Updated: 13/MAR/2004

Version 1.3

According to 91/155/EEC

Classified as Hazardous according to the criteria of EU Annex 1 and NOHSC.

---

1 - Product and Company Information

---

Product Name	BENZYL BROMIDE
Product Number	13250
Company	Sigma-Aldrich Pty, Ltd Unit 2, 14 Anella Avenue Castle Hill NSW 1765 Australia
Technical Phone #	+61 2 9841 0555
Fax	+61 2 9841 0500
Emergency Phone #	+61 2 9841 0566

---

---

2 - Composition/Information on Ingredients

---

Product Name	CAS #	EC no	Annex I Index Number
BENZYL BROMIDE	100-39-0	202-847-3	602-057-00-2
Formula	C7H7Br		
Molecular Weight	171.04 AMU		
Synonyms	Benzene, (bromomethyl)- * (Bromomethyl)benzene * Bromophenylmethane * alpha-Bromotoluene * omega-Bromotoluene		

---

---

3 - Hazards Identification

---

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT  
Irritating to eyes, respiratory system and skin.

---

---

4 - First Aid Measures

---

## AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

## AFTER SKIN CONTACT

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

## AFTER EYE CONTACT

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

## AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician. Do not induce vomiting.

---

## 5 - Fire Fighting Measures

---

### CONDITIONS OF FLAMMABILITY

Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.

### EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate foam.

Unsuitable: Do not use water.

### SPECIAL RISKS

Specific Hazard(s): Combustible liquid. Emits toxic fumes under fire conditions.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

---

## 6 - Accidental Release Measures

---

### PERSONAL PRECAUTION PROCEDURES TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area. Shut off all sources of ignition.

### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

### METHODS FOR CLEANING UP

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

---

## 7 - Handling and Storage

---

### HANDLING

Directions for Safe Handling: Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

### STORAGE

Conditions of Storage: Keep tightly closed. Keep away from heat and open flame. Store in a cool dry place.

SPECIAL REQUIREMENTS: Light sensitive. Moisture sensitive.

---

## 8 - Exposure Controls / Personal Protection

---

### ENGINEERING CONTROLS

Safety shower and eye bath. Use only in a chemical fume hood.

### GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

### PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Government approved respirator.

Hand Protection: Compatible chemical-resistant gloves.

Eye Protection: Chemical safety goggles.

Special Protective Measures: Faceshield (8-inch minimum).

---

## 9 - Physical and Chemical Properties

---

Appearance	Physical State: Clear liquid Color: Slightly brown-yellow Odor: Unpleasant odor.	
Property	Value	At Temperature or Pressure
pH	N/A	
BP/BP Range	196 - 198 °C	
MP/MP Range	-3 - -1 °C	
Flash Point	86 °C	Method: closed cup
Flammability	N/A	
Autoignition Temp	N/A	
Oxidizing Properties	N/A	
Explosive Properties	N/A	
Explosion Limits	N/A	
Vapor Pressure	N/A	
SG/Density	1.44 g/cm3	
Partition Coefficient	N/A	
Viscosity	N/A	
Vapor Density	5.8 g/l	
Saturated Vapor Conc.	N/A	
Evaporation Rate	N/A	
Bulk Density	N/A	
Decomposition Temp.	N/A	
Solvent Content	N/A	
Water Content	N/A	
Surface Tension	N/A	
Conductivity	N/A	
Miscellaneous Data	N/A	
Solubility	N/A	

---

## 10 - Stability and Reactivity

---

### STABILITY

Stable: Stable.

Conditions of Instability: Light sensitive. Moisture sensitive.

Materials to Avoid: Bases, Alcohols, Amines, Oxidizing agents

Corrodes steel.

### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Hydrogen bromide gas.

### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

---

## 11 - Toxicological Information

---

RTECS NUMBER: XS7965000

### SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema.

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

#### ROUTE OF EXPOSURE

Skin Contact: Causes burns.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes burns. Lachrymator.

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

#### TARGET ORGAN INFORMATION

Central nervous system.

#### CHRONIC EXPOSURE - MUTAGEN

Hamster

30 UMOL/L

Cell Type: ovary

Sister chromatid exchange

---

#### 12 - Ecological Information

No data available.

---

#### 13 - Disposal Considerations

---

#### SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

---

#### 14 - Transport Information

---

##### RID/ADR

UN#: 1737

Class: 6.1

PG: II

Proper Shipping Name: Benzyl bromide

##### IMDG

UN#: 1737

Class: 6.1

PG: II

Subrisk: 8

Proper Shipping Name: Benzyl bromide

Marine Pollutant: No

Severe Marine Pollutant: No

##### IATA

UN#: 1737

Class: 6.1

PG: II

Subrisk: 8

Proper Shipping Name: Benzyl bromide

Inhalation Packing Group I: No

---

#### 15 - Regulatory Information

---

#### CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

ANNEX I INDEX NUMBER: 602-057-00-2

INDICATION OF DANGER: Xi

Irritant.  
R-PHRASES: 36/37/38  
Irritating to eyes, respiratory system and skin.  
S-PHRASES: 39  
Wear eye/face protection.

#### COUNTRY SPECIFIC INFORMATION

##### Germany

WGK: 2 (self-classification)

##### SWITZERLAND

SWISS POISON CLASS: 1

---

#### 16 - Other Information

---

##### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

##### DISCLAIMER

For R&D use only. Not for drug, household or other uses.