Material Safety Data Sheet

Classified as Hazardous according to the criteria of EU Annex 1 and NOHSC.

1 - Product and Company Information

Product Name Product Number	SPERMIDINE 85559
Company	Sigma-Aldrich Pty, Ltd Unit 2, 14 Anella Avenue Castle Hill NSW 1765 Australia
Technical Phone # Fax	+61 2 9841 0555 +61 2 9841 0500
Emergency Phone #	+61 2 9841 0566

2 - Composition/Information on Ingredients

Product Name	CAS #	EC no	Annex I
			Index Number
SPERMIDINE FREE BASE	124-20-9	204-689-0	None

Formula C7H19N3 Molecular Weight 145.25 AMU

Synonyms 1,4-Diaminobutane, N-(3-aminopropyl)- *

Spermidine * 1,5,10-Triazadecane

3 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT Causes burns.

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

AFTER SKIN CONTACT

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

AFTER EYE CONTACT

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician. Do not induce vomiting.

5 - Fire Fighting Measures

EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate foam.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6 - Accidental Release Measures

PERSONAL PRECAUTION PROCEDURES TO BE FOLLOWED IN CASE OF LEAK OR SPILL Evacuate area.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Do not breathe vapor. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

STORAGE

Conditions of Storage: Keep tightly closed.

SPECIAL REQUIREMENTS: Store under inert gas. Air sensitive. Very hygroscopic.

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Safety shower and eye bath. Use only in a chemical fume hood.

GENERAL HYGIENE MEASURES

Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Government approved respirator. Hand Protection: Compatible chemical-resistant gloves. Eye Protection: Chemical safety goggles. Special Protective Measures: Faceshield (8-inch minimum).

9 - Physical and Chemical Properties

Appearance Color: Colorless Form: Clear liquid

Property Value At Temperature or Pressure

12 - 13.5 Hq BP/BP Range MP/MP Range Flash Point N/A22 - 25 °C 112 °C Method: closed cup Flammability N/AAutoignition Temp N/A Oxidizing Properties N/A Explosive Properties N/A Explosion Limits N/AVapor Pressure N/ASG/Density $0.925 \, \text{g/cm}3$ Partition Coefficient N/A Viscosity N/AVapor Density N/ASaturated Vapor Conc. N/A Evaporation Rate N/ABulk Density N/A Decomposition Temp. N/ASolvent Content N/AWater Content N/ASurface Tension N/A Conductivity N/AMiscellaneous Data N/A Solubility Solubility in Water: 1 M in H2O, 20°C

complete, colorless

10 - Stability and Reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Acids, Acid chlorides, Acid anhydrides, Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Nitrogen oxides.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

11 - Toxicological Information

RTECS NUMBER: EJ7000000

ACUTE TOXICITY

LD50

Intravenous

Mouse

78 MG/KG

Remarks: Behavioral: Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration: Respiratory depression.

SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may result in spasm, inflammation and edema of the larynxand bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

```
ROUTE OF EXPOSURE
   Skin Contact: Causes burns.
   Skin Absorption: May be harmful if absorbed through the skin.
   Eye Contact: Causes burns.
   Inhalation: Material is extremely destructive to the tissue of
   the mucous membranes and upper respiratory tract. May be harmful
   if inhaled.
   Ingestion: May be harmful if swallowed.
CHRONIC EXPOSURE - MUTAGEN
   Rat
   4 MMOL/L
   Cell Type: liver
   Other mutation test systems
   Mouse
   2 MMOL/L
   Cell Type: Ascites tumor
   DNA inhibition
   Mouse
   2 MMOL/L
   Cell Type: liver
   DNA inhibition
   Hamster
   300 UMOL/L
   Cell Type: ovary
   DNA damage
   Mamma1
   200 MMOL/L
   Cell Type: lung
   DNA damage
   ZINCL
   Histidine reversion (Ames)
12 - Ecological Information
No data available.
13 - Disposal Considerations
SUBSTANCE DISPOSAL
   Contact a licensed professional waste disposal service to dispose
   of this material. Dissolve or mix the material with a combustible
   solvent and burn in a chemical incinerator equipped with an
   afterburner and scrubber. Observe all federal, state, and local
   environmental regulations.
14 - Transport Information
RID/ADR
   UN#: 2735
   Class: 8
   PG: II
   Proper Shipping Name: Polyamines, liquid, corrosive,
   n.o.s.
```

IMDG

UN#: 2735 Class: 8 PG: II

Proper Shipping Name: POLYAMINES, LIQUID, CORROSIVE,

N.O.S.

Marine Pollutant: No

Severe Marine Pollutant: No Technical Name: Required

TATA

UN#: 2735 Class: 8 PG: II

Proper Shipping Name: Polyamines, liquid, corrosive,

Inhalation Packing Group I: No

Technical Name: Required

15 - Regulatory Information

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

INDICATION OF DANGER: C

Corrosive. R-PHRASES: 34 Causes burns.

S-PHRASES: 26 36/37/39 45

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any quarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.