SIGMA-ALDRICH

Material Safety Data Sheet

Classified as Hazardous according to the criteria of EU Annex 1 and NOHSC.

1 - Product and Company Information

Product Name
Product Number

SULFAMETHOXAZOLE
S7507

Company

Sigma-Aldrich Pty, Ltd
Unit 2, 14 Anella Avenue
Castle Hill NSW 1765
Australia
Technical Phone # +61 2 9841 0555
Fax +61 2 9841 0500
Emergency Phone # +61 2 9841 0566

2 - Composition/Information on Ingredients

Product Name	CAS #	EC no	Annex I Index Number None
SULFAMETHOXAZOLE	723-46-6	211-963-3	

Formula C10H11N3O3S Molecular Weight 253.28 AMU

3 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

AFTER SKIN CONTACT

In case of contact, immediately wash skin with soap and copious amounts of water.

AFTER EYE CONTACT

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

5 - Fire Fighting Measures

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

SPECIAL PROTECTIVE EOUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6 - Accidental Release Measures

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Conditions of Storage: Keep tightly closed.

SPECIAL REQUIREMENTS: Light sensitive.

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Government approved respirator. Hand Protection: Compatible chemical-resistant gloves. Eye Protection: Chemical safety goggles.

9 - Physical and Chemical Properties

Appearance	Physical State: Sol	id
Property	Value	At Temperature or Pressure
pH BP/BP Range MP/MP Range Flash Point Flammability Autoignition Temp Oxidizing Properties Explosive Properties Explosion Limits Vapor Pressure	N/A N/A 166 - 169 °C N/A N/A N/A N/A N/A N/A N/A	

```
SG/Density
                        N/A
Partition Coefficient
                        N/A
Viscosity
                        N/A
Vapor Density
                        N/A
Saturated Vapor Conc.
                        N/A
Evaporation Rate
                        N/A
Bulk Density
                        N/A
Decomposition Temp.
                        N/A
Solvent Content
                        N/A
Water Content
                        N/A
Surface Tension
                        N/A
Conductivity
                        N/A
Miscellaneous Data
                        N/A
Solubility
                        N/A
```

10 - Stability and Reactivity

STABILITY

Conditions of Instability: May discolor on exposure to light.

Conditions to Avoid: Light.

Materials to Avoid: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

11 - Toxicological Information

RTECS NUMBER: WP0700000

ACUTE TOXICITY

LD50

Oral

Rat

6200 mg/kg

LD50

Intraperitoneal

Rat

2690 MG/KG

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Convulsions or effect on seizure threshold. Lungs,

Thorax, or Respiration: Dyspnea.

LD50

Subcutaneous

Rat

>5 GM/KG

LD50

Oral

Mouse

2300 mg/kg

LD50

Intraperitoneal

Mouse

2300 MG/KG

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Dyspnea.

LD50 Subcutaneous Mouse >5 GM/KG

LD50 Intravenous Mouse 1460 MG/KG

SENSITIZATION

Skin: May cause allergic skin reaction.

SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ROUTE OF EXPOSURE

Skin Contact: Causes skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes eye irritation.

Inhalation: Material is irritating to mucous membranes and upper

respiratory tract. May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

TARGET ORGAN INFORMATION

Blood. Liver. Kidneys.

CHRONIC EXPOSURE - CARCINOGEN

Result: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Rat Rat

Route of Application: Oral Oral

Exposure Time: 60W 60W

Result: Tumorigenic: Equivocal tumorigenic agent by RTECS

criteria. Lungs, Thorax, or Respiration: Tumors.

Endocrine: Thyroid tumors. Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors.

Endocrine: Thyroid tumors.

IARC CARCINOGEN LIST

Rating: Group 3

12 - Ecological Information

No data available.

13 - Disposal Considerations

SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

14 - Transport Information

RID/ADR

Non-hazardous for road transport.

IMDG

Non-hazardous for sea transport.

IATA

Non-hazardous for air transport.

15 - Regulatory Information

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

INDICATION OF DANGER: Xi

Irritant.

R-PHRASES: 36/37/38 43

Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.

S-PHRASES: 26 36

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing.

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.