

## Material Safety Data Sheet

Date Printed: 02/JUN/2005

Date Updated: 12/MAR/2004

Version 1.2

According to 91/155/EEC

Classified as Hazardous according to the criteria of EU Annex 1 and NOHSC.

---

1 - Product and Company Information

---

Product Name	TRIMETHYL ORTHOFORMATE, 99%
Product Number	108456
Company	Sigma-Aldrich Pty, Ltd Unit 2, 14 Anella Avenue Castle Hill NSW 1765 Australia
Technical Phone #	+61 2 9841 0555
Fax	+61 2 9841 0500
Emergency Phone #	+61 2 9841 0566

---

---

2 - Composition/Information on Ingredients

---

Product Name	CAS #	EC no	Annex I Index Number
TRIMETHYL ORTHOFORMATE	149-73-5	205-745-7	None

  

Formula	C4H10O3
Molecular Weight	106.12 AMU
Synonyms	Methane, trimethoxy- * Methylester kyseliny orthomravenci (Czech) * Methyl orthoformate * Orthomravencan methylnaty (Czech) * Trimethoxymethane * Trimethylester kyseliny orthomravenci (Czech) * Trimethyl orthoformate

---

---

3 - Hazards Identification

---

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT  
Highly flammable. Irritating to eyes.

---

---

4 - First Aid Measures

---

## AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

## AFTER SKIN CONTACT

In case of contact, immediately wash skin with soap and copious amounts of water.

## AFTER EYE CONTACT

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

## AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

---

## 5 - Fire Fighting Measures

---

### CONDITIONS OF FLAMMABILITY

Under fire conditions, material may decompose to form flammable and/or explosive mixtures in air.

### EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate foam.

Unsuitable: Do not use water.

### SPECIAL RISKS

Specific Hazard(s): Flammable liquid. Emits toxic fumes under fire conditions.

Explosion Hazards: Vapor may travel considerable distance to source of ignition and flash back. Container explosion may occur under fire conditions.

### SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

---

## 6 - Accidental Release Measures

---

### PERSONAL PRECAUTION PROCEDURES TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area. Shut off all sources of ignition.

### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

### METHODS FOR CLEANING UP

Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

---

## 7 - Handling and Storage

---

### HANDLING

Directions for Safe Handling: Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

### STORAGE

Conditions of Storage: Keep container closed. Keep away from heat, sparks, and open flame.

---

## 8 - Exposure Controls / Personal Protection

---

### ENGINEERING CONTROLS

Safety shower and eye bath. Use nonsparking tools. Mechanical exhaust required.

### GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Wash contaminated clothing before reuse.

### PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Government approved respirator.

Hand Protection: Compatible chemical-resistant gloves.

Eye Protection: Chemical safety goggles.

---

## 9 - Physical and Chemical Properties

---

Appearance	Physical State: Clear liquid Color: Colorless	
Property	Value	At Temperature or Pressure
pH	N/A	
BP/BP Range	101 - 102 °C	
Flash Point	13 °C	Method: closed cup
Flammability	N/A	
Autoignition Temp	255 °C	
Oxidizing Properties	N/A	
Explosive Properties	N/A	
Explosion Limits	Lower: 1.4 % Upper: 5.1 %	
Vapor Pressure	40 mmHg	30 °C
SG/Density	0.969 g/cm3	
Partition Coefficient	N/A	
Viscosity	N/A	
Vapor Density	3.67 g/l	
Saturated Vapor Conc.	N/A	
Evaporation Rate	N/A	
Bulk Density	N/A	
Decomposition Temp.	N/A	
Solvent Content	N/A	
Water Content	N/A	
Surface Tension	N/A	
Conductivity	N/A	
Miscellaneous Data	N/A	
Solubility	N/A	

---

## 10 - Stability and Reactivity

---

### STABILITY

Conditions to Avoid: Moisture.

Materials to Avoid: Acids, Strong oxidizing agents.

### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

---

## 11 - Toxicological Information

---

RTECS NUMBER: RM6650000

### IRRITATION DATA

Skin

Rabbit

500 mg

24H

Remarks: Mild irritation effect

Eyes

Rabbit

100 mg

24H

Remarks: Moderate irritation effect

#### SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes eye irritation.

Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

---

#### 12 - Ecological Information

---

No data available.

---

#### 13 - Disposal Considerations

---

#### SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

---

#### 14 - Transport Information

---

#### RID/ADR

UN#: 3272

Class: 3

PG: II

Proper Shipping Name: Esters, n.o.s.

#### IMDG

UN#: 3272

Class: 3

PG: II

Proper Shipping Name: Esters, n.o.s.

Marine Pollutant: No

Severe Marine Pollutant: No

Technical Name: Required

#### IATA

UN#: 3272

Class: 3

PG: II

Proper Shipping Name: Esters, n.o.s.

Inhalation Packing Group I: No

Technical Name: Required

---

#### 15 - Regulatory Information

---

#### CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

INDICATION OF DANGER: F Xi

Highly Flammable. Irritant.

R-PHRASES: 11 36

Highly flammable. Irritating to eyes.

S-PHRASES: 9 16 26

Keep container in a well-ventilated place. Keep away from sources of ignition - no smoking. In case of contact with eyes,

rinse immediately with plenty of water and seek medical advice.

#### COUNTRY SPECIFIC INFORMATION

##### Germany

WGK: 1 (self-classification)

##### SWITZERLAND

SWISS POISON CLASS: 2

---

#### 16 - Other Information

---

##### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

##### DISCLAIMER

For R&D use only. Not for drug, household or other uses.