

Material Safety Data Sheet

Date Printed: 17/MAY/2005

Date Updated: 13/MAR/2004

Version 1.4

According to 91/155/EEC

1 - Product and Company Information

Product Name	URACIL CRYSTALLINE
Product Number	U0750
Company	Sigma-Aldrich Pty, Ltd Unit 2, 14 Anella Avenue Castle Hill NSW 1765 Australia
Technical Phone #	+61 2 9841 0555
Fax	+61 2 9841 0500
Emergency Phone #	+61 2 9841 0566

2 - Composition/Information on Ingredients

Product Name	CAS #	EC no	Annex I Index Number
URACIL	66-22-8	200-621-9	None
Formula	C4H4N2O2		
Molecular Weight	112.09 AMU		
Synonyms	2,4-Dihydroxypyrimidine * 2,4-Dioxypyrimidine * Hybar X * Pirod * 2,4-Pyrimidinediol * 2,4-Pyrimidinedione * 2,4(1H,3H)-Pyrimidinedione (9CI) * Pyrod		

3 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT
Not hazardous according to Directive 67/548/EC.

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If breathing becomes difficult,
call a physician.

AFTER SKIN CONTACT

In case of contact, immediately wash skin with soap and copious
amounts of water.

AFTER EYE CONTACT

In case of contact with eyes, flush with copious amounts of
water for at least 15 minutes. Assure adequate flushing by
separating the eyelids with fingers. Call a physician.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is
conscious. Call a physician.

5 - Fire Fighting Measures

EXTINGUISHING MEDIA

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6 - Accidental Release Measures

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Avoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Conditions of Storage: Keep tightly closed.

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Wear dust mask.
Hand Protection: Protective gloves.
Eye Protection: Chemical safety goggles.

9 - Physical and Chemical Properties

Appearance

Physical State: Solid
Color: Faintly beige
Form: Powder

Property

Value

At Temperature or Pressure

pH	N/A
BP/BP Range	N/A
MP/MP Range	330 °C
Flash Point	N/A
Flammability	N/A
Autoignition Temp	N/A
Oxidizing Properties	N/A
Explosive Properties	N/A

Explosion Limits	N/A
Vapor Pressure	N/A
SG/Density	N/A
Partition Coefficient	N/A
Viscosity	N/A
Vapor Density	N/A
Saturated Vapor Conc.	N/A
Evaporation Rate	N/A
Bulk Density	N/A
Decomposition Temp.	N/A
Solvent Content	N/A
Water Content	N/A
Surface Tension	N/A
Conductivity	N/A
Miscellaneous Data	N/A
Solubility	N/A

10 - Stability and Reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Nitrogen oxides.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

11 - Toxicological Information

RTECS NUMBER: YQ8650000

ACUTE TOXICITY

LD50
Oral
Rat
> 6000 mg/kg

LD50
Oral
Mouse
> 8000 mg/kg

LD50
Intraperitoneal
Mouse
1513 MG/KG
Remarks: Behavioral:Somnolence (general depressed activity).
Behavioral:Change in motor activity (specific assay).

LD50
Oral
Dog
> 5000 mg/kg

LD50
Oral
Rabbit
> 10000 mg/kg

SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: May cause eye irritation.

Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

CHRONIC EXPOSURE - CARCINOGEN

Rat

Route of Application: Oral

Exposure Time: 2Y

Result: Tumorigenic: Carcinogenic by RTECS criteria. Kidney, Ureter, Bladder: Tumors. Kidney, Ureter, Bladder: Kidney tumors.

Mouse

Route of Application: Oral

Exposure Time: 96W

Result: Tumorigenic: Carcinogenic by RTECS criteria. Kidney, Ureter, Bladder: Tumors.

Rat

Route of Application: Oral

Exposure Time: 30W

Result: Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Kidney, Ureter, Bladder: Tumors.

Rat

Route of Application: Oral

Exposure Time: 36W

Result: Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Kidney, Ureter, Bladder: Tumors.

Rat

Route of Application: Oral

Exposure Time: 20W

Result: Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Kidney, Ureter, Bladder: Tumors.

Rat

Route of Application: Oral

Exposure Time: 15W

Result: Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Kidney, Ureter, Bladder: Tumors.

CHRONIC EXPOSURE - MUTAGEN

Mouse

15 MG/KG

Intraperitoneal

Cytogenetic analysis

CHRONIC EXPOSURE - TERATOGEN

Species: Rat

Dose: 18 GM/KG

Route of Application: Oral
Exposure Time: (17-22D PREG/21D POST)
Result: Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow). Specific Developmental Abnormalities: Urogenital system. Effects on Newborn: Behavioral.

Species: Rat
Dose: 15400 MG/KG
Route of Application: Oral
Exposure Time: (7-17D PREG)
Result: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Species: Rat
Dose: 616 MG/KG
Route of Application: Oral
Exposure Time: (7-17D PREG)
Result: Effects on Newborn: Sex ratio.

12 - Ecological Information

No data available.

13 - Disposal Considerations

SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

14 - Transport Information

RID/ADR

Non-hazardous for road transport.

IMDG

Non-hazardous for sea transport.

IATA

Non-hazardous for air transport.

15 - Regulatory Information

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

S-PHRASES: 22 24/25

Do not breathe dust. Avoid contact with skin and eyes.

Not hazardous according to Directive 67/548/EC.

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to

appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.