

Material Safety Data Sheet

Date Printed: 17/MAY/2005
Date Updated: 02/NOV/2004
Version 1.2
According to 91/155/EEC

1 - Product and Company Information

Product Name	URIDINE 99+%
Product Number	U3750
Company	Sigma-Aldrich Pty, Ltd Unit 2, 14 Anella Avenue Castle Hill NSW 1765 Australia
Technical Phone #	+61 2 9841 0555
Fax	+61 2 9841 0500
Emergency Phone #	+61 2 9841 0566

2 - Composition/Information on Ingredients

Product Name	CAS #	EC no	Annex I Index Number
URIDINE	58-96-8	200-407-5	None
Formula	C9H12N2O6		
Molecular Weight	244.2 AMU		
Synonyms	1-beta-D-Ribofuranosyluracil * Uracil riboside * Uridin * Uridine * beta-Uridine		

3 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT
Not hazardous according to Directive 67/548/EC.

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

AFTER SKIN CONTACT

In case of contact, immediately wash skin with soap and copious amounts of water.

AFTER EYE CONTACT

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

5 - Fire Fighting Measures

EXTINGUISHING MEDIA

Suitable: Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6 - Accidental Release Measures

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.

METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Avoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.

STORAGE

Conditions of Storage: Keep tightly closed.

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical exhaust required.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Wear dust mask.

Hand Protection: Protective gloves.

Eye Protection: Chemical safety goggles.

9 - Physical and Chemical Properties

Appearance

Physical State: Solid

Color: White

Form: Fine crystals

Property

Value

At Temperature or Pressure

pH

N/A

BP/BP Range

N/A

MP/MP Range

163 °C

Flash Point

N/A

Flammability

N/A

Autoignition Temp

N/A

Oxidizing Properties

N/A

Explosive Properties

N/A

Explosion Limits

N/A

Vapor Pressure

N/A

SG/Density	N/A
Partition Coefficient	N/A
Viscosity	N/A
Vapor Density	N/A
Saturated Vapor Conc.	N/A
Evaporation Rate	N/A
Bulk Density	N/A
Decomposition Temp.	N/A
Solvent Content	N/A
Water Content	N/A
Surface Tension	N/A
Conductivity	N/A
Miscellaneous Data	N/A
Solubility	N/A

10 - Stability and Reactivity

STABILITY

Stable: Stable.

Materials to Avoid: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Nitrogen oxides.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

11 - Toxicological Information

RTECS NUMBER: YR1450000

ACUTE TOXICITY

LD50

Intraperitoneal

Mouse

4335 MG/KG

Remarks: Behavioral:Somnolence (general depressed activity).

Behavioral:Change in motor activity (specific assay).

SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: May cause eye irritation.

Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

CHRONIC EXPOSURE - MUTAGEN

Mouse

740 MG/KG

Intraperitoneal

Micronucleus test

Mammal

100 MMOL/L

Cell Type: lymphocyte
DNA damage

12 - Ecological Information

No data available.

13 - Disposal Considerations

SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

14 - Transport Information

RID/ADR

Non-hazardous for road transport.

IMDG

Non-hazardous for sea transport.

IATA

Non-hazardous for air transport.

15 - Regulatory Information

Not hazardous according to Directive 67/548/EC.

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2005 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.