```
1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
```

Sulfur monochloride Product name

Classification of the substance or mixture

2. HAZARDS IDENTIFICATION

According to Regulation (EC) No1272/2008

Acute toxicity, Oral (Category 3) Acute toxicity, Inhalation (Category 4) Skin corrosion (Category 1A) Acute aquatic toxicity (Category 1)

According to European Directive 67/548/EEC as amended.

Reacts violently with water. Toxic if swallowed. Causes severe burns. Harmful by inhalation. Contact with water liberates toxic gas. Very toxic to aquatic organisms.

Label elements

Pictogram

Signal word Danger

Hazard statement(s)

H314 H400

Causes severe skin burns and eye damage. Very toxic to aquatic life. Toxic if swallowed. H301 Harmful if inhaled. H332

EUH014 Reacts violently with water. **EUH029** Precautionary statement(s)

P305 + P351 + P338

Contact with water liberates toxic gas.

P273 Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. P280 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard symbol(s) T

P310 Immediately call a POISON CENTER or doctor/physician. **Toxic**

 \mathbf{C} Corrosive N Dangerous for the environment

R-phrase(s) R14 Reacts violently with water.

R20

Formula

Molecular Weight

Sulfur chloride

Harmful by inhalation. R25 Toxic if swallowed. R29 Contact with water liberates toxic gas. Causes severe burns. R35 **R50** Very toxic to aquatic organisms.

S-phrase(s) S26

seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. S36/37/39 S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid release to the environment. Refer to special instructions/ Safety data S61 sheets.

In case of contact with eyes, rinse immediately with plenty of water and

Classification

EUH014, EUH029

Acute Tox. 3; Acute Tox. 4; Skin Corr. 1A; Aquatic Acute 1; H314, H400, H301, H332,

Concentration

Other hazards Lachrymator.

Cl2S2

135,04 g/mol

3. COMPOSITION/INFORMATION ON INGREDIENTS Synonyms Sulfur chloride

CAS-No. EC-No.

10025-67-9 233-036-2

T, C, N, R14 - R20 - R25 -R29 - R35 - R50 For the full text of the H-Statements mentioned in this Section, see Section 16. 4. FIRST AID MEASURES

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water.

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact

Consult a physician. Show this safety data sheet to the doctor in attendance.

immediately to hospital. Consult a physician. In case of eye contact

General advice

If inhaled

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. If swallowed

5. FIRE-FIGHTING MEASURES

Consult a physician.

Suitable extinguishing media Carbon dioxide (CO2) Dry powder

Extinguishing media which shall not be used for safety reasons Water

Wear self contained breathing apparatus for fire fighting if necessary. 6. ACCIDENTAL RELEASE MEASURES

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Do not flush with water. Keep in

Environmental precautions

environment must be avoided.

suitable, closed containers for disposal.

Personal precautions

personnel to safe areas.

7. HANDLING AND STORAGE Precautions for safe handling

Normal measures for preventive fire protection. **Conditions for safe storage** Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Special protective equipment for fire-fighters

resealed and kept upright to prevent leakage. Store in cool place. Never allow product to get in contact with water during storage. Store under inert gas.

Personal protective equipment Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves

after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air

respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Eye protection

Hygiene measures

product.

Safety data

pН

Melting point

Boiling point

Flash point

Ignition temperature

Lower explosion limit

Upper explosion limit

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Skin and body protection Complete suit protecting against chemicals, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES **Appearance** clear, liquid Form

no data available

Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Hydrogen chloride gas

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

Causes eye burns.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and

skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath,

- (Air = 1.0)

4,66

-80 °C - lit.

138 °C - lit.

233 °C -

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the

Vapour pressure 9,1 hPa at 20 °C 59 hPa at 55 °C Density 1,688 g/cm3 at 25 °C

Water solubility Relative vapour density

Hazardous decomposition products

11. TOXICOLOGICAL INFORMATION

LC50 Inhalation - mouse - 150 ppm

Skin corrosion/irritation

Germ cell mutagenicity

Acute toxicity

no data available

no data available

Carcinogenicity

10. STABILITY AND REACTIVITY Chemical stability Stable under recommended storage conditions. Possibility of hazardous reactions Reacts violently with water. Conditions to avoid Exposure to moisture. Materials to avoid Strong oxidizing agentsReacts violently with water., Alcohols, Metals, Peroxides, Amines

Serious eye damage/eye irritation no data available Respiratory or skin sensitization no data available

Reproductive toxicity no data available Specific target organ toxicity - single exposure

no data available

no data available

Eyes

Headache, Nausea

Toxicity

no data available

no data available

no data available

Other adverse effects Very toxic to aquatic life.

Aspiration hazard no data available

Potential health effects

Inhalation Harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Ingestion Toxic if swallowed. Causes burns. Skin May be harmful if absorbed through skin. Causes skin burns.

Signs and Symptoms of Exposure

Specific target organ toxicity - repeated exposure

Additional Information RTECS: WS4300000 12. ECOLOGICAL INFORMATION

Persistence and degradability

PBT and vPvB assessment

13. DISPOSAL CONSIDERATIONS

Contaminated packaging Dispose of as unused product.

14. TRANSPORT INFORMATION

UN-Number: 3390 Class: 6.1 (8)

Marine pollutant: Marine pollutant

ADR/RID

IATA

Bioaccumulative potential no data available Mobility in soil no data available

Product Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

UN-Number: 3390 Class: 6.1 (8) Proper shipping name: TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. (Sulfur chloride) **IMDG**

UN-Number: 3390 Class: 6.1 (8) Proper shipping name: Toxic by inhalation liquid, corrosive, n.o.s. (Sulfur chloride) IATA Passenger: Not permitted for transport

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Proper shipping name: TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. (Sulfur chloride)

Packing group: I

Packing group: I

EMS-No: F-A, S-B

16. OTHER INFORMATION

Skin corrosion Corrosive

Very toxic to aquatic organisms. For R&D use only. Not for drug, household or other uses. WARRANTY:

www.lookchem.com

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lookchem shall not be held liable for any

damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute toxicity

Acute aquatic toxicity

Reacts violently with water.

Contact with water liberates toxic gas.

15. REGULATORY INFORMATION

IATA Cargo: Not permitted for transport

H301 Toxic if swallowed. H314 Causes severe skin burns and eye damage. H332 Harmful if inhaled. Very toxic to aquatic life.

Dangerous for the environment T Toxic R14 Reacts violently with water. R20 Harmful by inhalation. R25 Toxic if swallowed.

R29 Contact with water liberates toxic gas. R35 Causes severe burns. R50

Further information

H400 Skin Corr. \mathbf{C}

Acute Tox.

EUH014 EUH029

Aquatic Acute