2. HAZARDS IDENTIFICATION

According to Regulation (EC) No1272/2008

Classification of the substance or mixture

Specific target organ toxicity - repeated exposure (Category 2)

Chronic aquatic toxicity (Category 3) Acute toxicity, Inhalation (Category 3) Acute toxicity, Dermal (Category 3) Acute toxicity, Oral (Category 3)

Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Harmful to aquatic

According to European Directive 67/548/EEC as amended.

organisms, may cause long-term adverse effects in the aquatic environment. Label elements

Pictogram

Signal word Hazard statement(s)

H373

May cause damage to organs through prolonged or repeated exposure. H301 Toxic if swallowed.

Danger

H311 Toxic in contact with skin. H331 Toxic if inhaled.

H412 Harmful to aquatic life with long lasting effects. Precautionary statement(s)

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P261 P273

Avoid release to the environment. P280 Wear protective gloves/ protective clothing.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ P301 + P310physician. P311 Call a POISON CENTER or doctor/ physician.

Hazard symbol(s) **Toxic**

R23/24/25 R33

R52/53

S45

R-phrase(s)

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s) S28 After contact with skin, wash immediately with plenty of soap and water. S36/37 Wear suitable protective clothing and gloves.

Danger of cumulative effects.

Toxic by inhalation, in contact with skin and if swallowed.

In case of accident or if you feel unwell, seek medical advice immediately

Classification

STOT RE 2; Aquatic Chronic 3; Acute Tox. 3; H373, H301, Concentration

(show the label where possible). Avoid release to the environment. Refer to special instructions/ Safety data S61 sheets.

3. COMPOSITION/INFORMATION ON INGREDIENTS C9H13N Formula Molecular Weight : 135,21 g/mol

CAS-No. EC-No.

121-72-2

Other hazards - none

N,N-Dimethyl-m-toluidine

204-495-6

H311, H331, H412 T, R23/24/25 - R33 - R52/53 For the full text of the H-Statements mentioned in this Section, see Section 16. 4. FIRST AID MEASURES General advice

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact

Consult a physician. Show this safety data sheet to the doctor in attendance.

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

If swallowed

If inhaled

In case of eye contact Flush eyes with water as a precaution.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Further information

Personal precautions

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray;

Wear self contained breathing apparatus for fire fighting if necessary.

solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the

in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers

Use water spray to cool unopened containers. 6. ACCIDENTAL RELEASE MEASURES

Special protective equipment for fire-fighters

concentrations. Vapours can accumulate in low areas. **Environmental precautions**

Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place

environment must be avoided.

7. HANDLING AND STORAGE

for disposal.

Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

Personal protective equipment

Respiratory protection

standard EN 374 derived from it.

Skin and body protection

Eye protection

product.

Appearance

Form

Melting point

Boiling point

Density

Lower explosion limit

Upper explosion limit

Partition coefficient:

Water solubility

n-octanol/water

Conditions for safe storage

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air

government standards such as NIOSH (US) or EN 166(EU).

liquid

no data available

no data available

no data available

no data available

log Pow: 5

0,93 g/cm3 at 25 °C

215 °C - lit.

resealed and kept upright to prevent leakage. Store in cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Hand protection

touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate

Complete suit protecting against chemicals, The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance at the specific workplace. Hygiene measures Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the

Safety data no data available рН

9. PHYSICAL AND CHEMICAL PROPERTIES

Flash point 85 °C - closed cup no data available Ignition temperature

10. STABILITY AND REACTIVITY Chemical stability Stable under recommended storage conditions. Conditions to avoid Heat, flames and sparks. Materials to avoid Strong oxidizing agentsacids, Acid chlorides, Acid anhydrides, Strong oxidizing agents, Carbon dioxide (CO2) Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx) 11. TOXICOLOGICAL INFORMATION **Acute toxicity**

LD50 Intraperitoneal - mouse - 300 mg/kg

Serious eye damage/eye irritation

Respiratory or skin sensitization

Skin corrosion/irritation

Germ cell mutagenicity

Reproductive toxicity

no data available

Aspiration hazard

Ingestion

Skin

Eyes

investigated.

no data available

no data available

Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Toxic if swallowed.

May cause eye irritation.

Toxic if absorbed through skin. May cause skin irritation.

Packing group: III

Packing group: III

Packing group: III

EMS-No: F-A, S-A

Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (N,N-Dimethyl-m-toluidine)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

Additional Information RTECS: XU5798000

Signs and Symptoms of Exposure

Mobility in soil no data available PBT and vPvB assessment

Product This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Contaminated packaging

13. DISPOSAL CONSIDERATIONS

Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (N,N-Dimethyl-m-toluidine) Marine pollutant: No

16. OTHER INFORMATION Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox. Acute toxicity Chronic aquatic toxicity Aquatic Chronic Toxic if swallowed. H301 H311 Toxic in contact with skin.

> Specific target organ toxicity - repeated exposure Toxic Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects.

environment. **Further information** For R&D use only. Not for drug, household or other uses.

WARRANTY:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lookchem shall not be held liable for any www.lookchem.com damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

no data available Potential health effects Inhalation Toxic if inhaled. May cause respiratory tract irritation.

12. ECOLOGICAL INFORMATION **Toxicity** no data available

Persistence and degradability

Bioaccumulative potential

no data available Other adverse effects Harmful to aquatic life.

Dispose of as unused product. **14. TRANSPORT INFORMATION**

> **IMDG** UN-Number: 2810 Class: 6.1

> UN-Number: 2810 Class: 6.1

ADR/RID

IATA UN-Number: 2810 Class: 6.1 Proper shipping name: Toxic liquid, organic n.o.s. (N,N-Dimethyl-m-toluidine)

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15. REGULATORY INFORMATION

H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. STOT RE

R33 R52/53

T R23/24/25

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic