

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Nitrofen

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No1272/2008  
Carcinogenicity (Category 1B)  
Reproductive toxicity (Category 1B)  
Acute toxicity (Category 4)  
Acute aquatic toxicity (Category 1)  
Chronic aquatic toxicity (Category 1)

According to European Directive 67/548/EEC as amended.  
May cause cancer. May cause harm to the unborn child. Harmful if swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Label elements

Pictogram	
Signal word	Danger
Hazard statement(s)	
H302	Harmful if swallowed.
H350	May cause cancer.
H410	Very toxic to aquatic life with long lasting effects.
H360D	May damage the unborn child.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P501	Dispose of contents/container to an approved waste disposal plant.
Hazard symbol(s)	
T	Toxic
N	Dangerous for the environment
R-phrases(s)	
R45	May cause cancer.
R61	May cause harm to the unborn child.
R22	Also harmful if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases(s)	
S53	Avoid exposure - obtain special instructions before use.
S45	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S60	This material and its container must be disposed of as hazardous waste.
S61	Avoid release to the environment. Refer to special instructions/ Safety data sheets.
Restricted to professional users.	
Other hazards - none	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C12H7CL2NO3  
Molecular Weight : 284,1 g/mol

CAS-No.	EC-No.		Classification	Concentration
<b>Nitrofen</b> 1836-75-5	217-406-0	-	Carc. 1B; Repr. 1B; Acute Tox. 4; Aquatic Acute 1; Aquatic Chronic 1; H302, H350, H410, H360D T, N, Carc. Cat.2, Repr. Cat.2, R45 - R61 - R22 - R50/53	-

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Conditions for safe storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Handle with gloves.

Eye protection

Safety glasses with side-shields conforming to EN166

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form solid

Safety data

pH	no data available
Melting point	no data available
Boiling point	180 - 190 °C at 0,33 hPa
Flash point	no data available
Ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Water solubility	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

no data available

Materials to avoid

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas, nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 740 mg/kg  
Remarks: Behavioral:Excitement. Lungs, Thorax, or Respiration:Respiratory stimulation. Nutritional and Gross Metabolic:Changes inBody temperature increase.

LD50 Dermal - rat - 5.000 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

Genotoxicity in vitro - rat - Embryo  
Morphological transformation.

Genotoxicity in vitro - Hamster - Lungs  
Sister chromatid exchange

Genotoxicity in vitro - Ames test - S. typhimurium

Carcinogenicity

Carcinogenicity - mouse - Oral  
Tumorigenic:Carcinogenic by RTECS criteria. Liver:Tumors. Lungs, Thorax, or Respiration:Tumors.

Carcinogenicity - mouse - Oral  
Tumorigenic:Carcinogenic by RTECS criteria. Liver:Tumors. Lungs, Thorax, or Respiration:Tumors.

Possible human carcinogen

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Nitrofen)

Reproductive toxicity

Presumed human reproductive toxicant

Reproductive toxicity - rat - Oral  
Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Reproductive toxicity - rat - Oral  
Effects on Newborn: Physical.

Reproductive toxicity - rat - Skin  
Effects on Newborn: Viability index (e.g., # alive at day 4 per # born alive). Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Developmental Toxicity - mouse - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Newborn: Physical.

Developmental Toxicity - mouse - Oral  
Specific Developmental Abnormalities: Respiratory system. Specific Developmental Abnormalities: Hepatobiliary system.

Developmental Toxicity - mouse - Skin  
Specific Developmental Abnormalities: Endocrine system.

Developmental Toxicity - mouse - Unreported  
Specific Developmental Abnormalities: Eye, ear.

Developmental Toxicity - Hamster - Unreported  
Specific Developmental Abnormalities: Eye, ear. Specific Developmental Abnormalities: Urogenital system.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation.  
**Ingestion** Harmful if swallowed.

**Skin** May be harmful if absorbed through skin. May cause skin irritation.  
**Eyes** May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: KN8400000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 7 mg/l - 96,0 h

Toxicity to daphnia and other aquatic invertebrates. LC50 - Daphnia - 0,217 mg/l - 48 h

Persistence and degradability

Bioaccumulative potential

Bioaccumulation Carassius auratus (goldfish) - 120 h  
Bioconcentration factor (BCF): 1.200

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

ADR/RID

UN-Number: 3077 Class: 9 Packing group: III  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nitrofen)

IMDG

UN-Number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nitrofen)  
Marine pollutant: No

IATA

UN-Number: 3077 Class: 9 Packing group: III  
Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Nitrofen)

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

16. OTHER INFORMATION

Text of H-code(s) and R-phrases(s) mentioned in Section 3

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Carc.	Carcinogenicity
H302	Harmful if swallowed.
H350	May cause cancer.
H360D	May damage the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
Repr.	Reproductive toxicity
N	Dangerous for the environment
T	Toxic
R22	Harmful if swallowed.
R45	May cause cancer.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R61	May cause harm to the unborn child.
Repr.Cat.2	Toxic to Reproduction Category 2

Further information

For R&D use only. Not for drug, household or other uses.



www.lookchem.com

WARRANTY:  
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.