## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

: N-Ethylaniline Product name

## 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No1272/2008 Acute toxicity (Category 3) Acute toxicity (Category 3)

Acute toxicity (Category 3) Specific target organ toxicity - repeated exposure (Category 2)

According to European Directive 67/548/EEC as amended.

Danger of cumulative effects. Toxic by inhalation, in contact with skin and if swallowed.

Label elements

Pictogram

Signal word Danger

Hazard statement(s)

May cause damage to organs through prolonged or repeated exposure. H373 Toxic if swallowed. H301

Toxic in contact with skin. H311 Toxic if inhaled. H331 Precautionary statement(s) none

Hazard symbol(s) T

R-phrase(s) R23/24/25

Toxic by inhalation, in contact with skin and if swallowed. R33 Danger of cumulative effects.

S-phrase(s)

S28 After contact with skin, wash immediately with plenty of soap and water.

Monoethylaniline

Toxic

S37 Wear suitable gloves.

S45

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

Other hazards - none

#### C8H11N Formula 121,18 g/mol Molecular Weight

CAS-No. EC-No.

N-Ethylaniline 103-69-5 203-135-5

T, R23/24/25 - R33 For the full text of the H-Statements mentioned in this Section, see Section 16. 4. FIRST AID MEASURES

Classification

Acute Tox. 3; STOT RE 2; H373, H301, H311, H331

Concentration

Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled

# If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Suitable extinguishing media

Special protective equipment for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

## 6. ACCIDENTAL RELEASE MEASURES Personal precautions

personnel to safe areas.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed

containers for disposal.

Precautions for safe handling

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**Conditions for safe storage** 

charge.

Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with

multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government

## standards such as NIOSH (US) or CEN (EU). Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the

Eye protection Face shield and safety glasses Skin and body protection Choose body protection according to the amount and concentration of the dangerous substance at the

product. 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

рΗ

Melting point

Colour light yellow

#### 205 °C - lit. Boiling point Flash point 85 °C - closed cup no data available Ignition temperature

0,7 hPa at 38 °C Vapour pressure 0,3 hPa at 25 °C

0,963 g/cm3 at 25 °C no data available 4,18 - (Air = 1.0)

**Acute toxicity** LC50 Inhalation - rat - 4 h - > 1.130 mg/m3 Skin corrosion/irritation

**Conditions to avoid** 

Materials to avoid

Air sensitive.

no data available Respiratory or skin sensitization no data available

Strong oxidizing agents, Carbon dioxide (CO2)

Hazardous decomposition products

11. TOXICOLOGICAL INFORMATION

Carcinogenicity

Germ cell mutagenicity

no data available

no data available

no data available

Skin

Eyes

**Toxicity** 

Toxicity to fish

Toxicity to daphnia

and other aquatic

Toxicity to algae

invertebrates.

no data available

Mobility in soil no data available

no data available

**Product** 

Specific target organ toxicity - repeated exposure no data available

Reproductive toxicity

Toxic if inhaled. May cause respiratory tract irritation. Inhalation Ingestion Toxic if swallowed.

Signs and Symptoms of Exposure

12. ECOLOGICAL INFORMATION

Other adverse effects no data available

waste disposal service to dispose of this material. Contaminated packaging

ADR/RID UN-Number: 2272 Class: 6.1 Proper shipping name: N-ETHYLANILINE

Marine pollutant: No **IATA** UN-Number: 2272 Class: 6.1

15. REGULATORY INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3 Acute Tox.

> Toxic in contact with skin. Toxic if inhaled.

T

H331 H373 May cause damage to organs through prolonged or repeated exposure.

WARRANTY: The above information is believed to be correct but does not purport to be all inclusive and shall be

used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lookchem shall not be held liable for any www.lookchem.com damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

General advice

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

5. FIRE-FIGHTING MEASURES

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate

Methods and materials for containment and cleaning up

7. HANDLING AND STORAGE

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

standard EN 374 derived from it. Handle with gloves.

work place. Hygiene measures Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the

clear, liquid Form Safety data

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

no data available

-63 °C - lit.

### Lower explosion limit 1,6%(V)9,5 %(V) Upper explosion limit

Density Water solubility Relative vapour density 10. STABILITY AND REACTIVITY Chemical stability Stable under recommended storage conditions.

no data available

Serious eye damage/eye irritation

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Specific target organ toxicity - single exposure

Aspiration hazard no data available Potential health effects

**Additional Information** RTECS: BX9780000

May cause eye irritation.

Toxic if absorbed through skin. May cause skin irritation.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

LC50 - Oryzias latipes - 33 mg/l - 48 h

This combustible material may be burned in a chemical incinerator equipped with an afterburner and

scrubber. Observe all federal, state, and local environmental regulations. Contact a licensed professional

Packing group: III

Packing group: III

Packing group: III

EMS-No: F-A, S-A

LC50 - Daphnia magna (Water flea) - 0,42 mg/l - 48 h

Growth inhibition EC50 - Chlorella pyrenoidosa - 22 mg/l - 96 h

Persistence and degradability no data available **Bioaccumulative potential** 

13. DISPOSAL CONSIDERATIONS

PBT and vPvB assessment

Dispose of as unused product. 14. TRANSPORT INFORMATION

> **IMDG** UN-Number: 2272 Class: 6.1 Proper shipping name: N-ETHYLANILINE

Proper shipping name: N-Ethylaniline

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Acute toxicity H301 H311

> Specific target organ toxicity - repeated exposure Toxic Toxic by inhalation, in contact with skin and if swallowed. R23/24/25 R33 Danger of cumulative effects.

16. OTHER INFORMATION

Toxic if swallowed. STOT RE

**Further information** For R&D use only. Not for drug, household or other uses.