

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Potassium palmitate standard solution according to Blacher

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No 1272/2008

Flammable liquids (Category 2)

Skin irritation (Category 2)

Eye irritation (Category 2)


Specific target organ toxicity - single exposure (Category 3)

According to European Directive 67/548/EEC as amended.

Highly flammable. Irritating to eyes and skin. Vapours may cause drowsiness and dizziness.

Label elements

Pictogram



Signal word : Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard symbol(s)

F Highly flammable

Xi Irritant

R-phrase(s)

R11 Highly flammable.

R36/38 Irritating to eyes and skin.

R67 Vapours may cause drowsiness and dizziness.

S-phrase(s)

S16 Keep away from sources of ignition - No smoking.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Other hazards - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Potassium palmitate solution
Palmitic acid potassium salt standard
Soap according to Blacher

Formula : C16H31KO2

CAS-No.	EC-No.	Classification	Concentration
2-Propanol 67-63-0	200-661-7	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336 F, Xi, R11 - R36 - R67	94,5 %
Palmitic acid 57-10-3	200-312-9	Eye Irrit. 2; H319 Xi, R36	4,3 %
Potassium hydroxide 1310-58-3	215-181-3	Skin Corr. 1A; Acute Tox. 4; H314, H302 C, R22 - R35	0,97 %
Ethanol 64-17-5	200-578-6	Flam. Liq. 2; H225 F, R11	0,19 %
Phenolphthalein 77-09-8	201-004-7	Muta. 2; Carc. 1B; Repr. 2; H341, H350, H361 T, Carc. Cat. 2, Repr. Cat. 3, Mut. Cat. 3, R45 - R62 - R68	0,01 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rins thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : clear, liquid

Colour : colourless

Safety data

pH : no data available

Melting point : no data available

Boiling point : no data available

Flash point : 12 °C - closed cup

Ignition temperature : no data available

Lower explosion limit : no data available

Upper explosion limit : no data available

Density : 0,870 g/cm3

Water solubility : no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid

Oxidizing agents, Alkali metals, Ammonia, Peroxides

Hazardous decomposition products

Hazardous decomposition products: formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

GERM cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0,1% is identified as probable, possible or confirmed human carcinogen by IARC.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Apiration hazard

no data available

Potential health effects

Inhalation : May be harmful if inhaled. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may

cause drowsiness and dizziness. May cause respiratory tract irritation. Vapours may</