EC no

Annex I

ProductName

Formula

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT Harmful if swallowed. Causes burns. Very toxic to aquatic

organisms, may cause long-term adverse effects in the aquatic environment.

C13H29N

3 - Composition/Information on Ingredients

2 - Hazards Identification

Product Name

TRIDECYLAMINE, MIXTURE OF ISOMERS 2869-34-3 220-694-0 None

CAS#

199.38 AMU Molecular Weight Synonyms

1-Aminotridecane * Monotridecylamine *

Tridecanamine * Tridecylamine * n-Tridecylamine * 1-Tridecylamine

AFTER INHALATION If inhaled, remove to fresh air. If not breathing give

4 - First Aid Measures

artificial respiration. If breathing is difficult, give oxygen. AFTER SKIN CONTACT

at least 15 minutes. Remove contaminated clothing and shoes.

Call a physician. AFTER EYE CONTACT

In case of skin contact, flush with copious amounts of water for

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is conscious. Call a physician. Do not induce vomiting.

5 - Fire Fighting Measures

6 - Accidental Release Measures

Evacuate area.

EXTINGUISHING MEDIA

foam. SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.

Suitable: Carbon dioxide, dry chemical powder, or appropriate

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS Wear self-contained breathing apparatus and protective clothing

to prevent contact with skin and eyes.

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash

in eyes, on skin, on clothing. Avoid prolonged or repeated

PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear self-contained breathing apparatus, rubber boots, and heavy

spill site after material pickup is complete.

rubber gloves. METHODS FOR CLEANING UP

PERSONAL PRECAUTION PROCEDURES TO BE FOLLOWED IN CASE OF LEAK OR SPILL

HANDLING Directions for Safe Handling: Do not breathe vapor. Do not get

7 - Handling and Storage

exposure. **STORAGE**

Conditions of Storage: Keep tightly closed. 8 - Exposure Controls / Personal Protection **ENGINEERING CONTROLS**

Wash contaminated clothing before reuse. Discard contaminated

Safety shower and eye bath. Use only in a chemical fume hood. GENERAL HYGIENE MEASURES

рН

BP/BP Range

MP/MP Range

Vapor Pressure

shoes. Wash thoroughly after handling. PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US)

are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand Protection: Compatible chemical-resistant gloves. Eve Protection: Chemical safety goggles.

or CEN (EU). Where risk assessment shows air-purifying respirators

Physical State: Liquid **Property** Value N/A

Special Protective Measures: Faceshield (8-inch minimum).

Flash Point Flammability Autoignition Temp

Oxidizing Properties N/A **Explosive Properties** N/A **Explosion Limits** N/A

Vapor Density N/A Saturated Vapor Conc. N/A **Evaporation Rate** N/A Bulk Density N/ADecomposition Temp. N/A Solvent Content N/A Water Content N/A N/A Surface Tension N/A Conductivity Miscellaneous Data N/A Solubility N/A 10 - Stability and Reactivity **STABILITY** Stable: Stable. Oxidizing agents.

11 - Toxicological Information RTECS NUMBER: YD3011650

ACUTE TOXICITY

Intraperitoneal

LD50

Mouse **70 MG/KG SENSITIZATION**

larynxand bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and

vomiting.

ROUTE OF EXPOSURE

Skin Contact: Causes burns.

Eye Contact: Causes burns.

ECOTOXICOLOGICAL EFFECTS

Test Type: LC50 Fish

Ingestion: Harmful if swallowed. 12 - Ecological Information

Test Type: EC50 Daphnia Species: Daphnia magna Time: 48 h Value: 0.015 mg/l

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local

RID/ADR UN#: 2735 Class: 8

14 - Transport Information

environmental regulations.

13 - Disposal Considerations

SUBSTANCE DISPOSAL

PG: II Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. Marine Pollutant: No Severe Marine Pollutant: No

Proper Shipping Name: Amines, liquid, corrosive, n.o.s. Inhalation Packing Group I: No Technical Name: Required

organisms, may cause long-term adverse effects in the aquatic environment. S-PHRASES: 26-36/37/39-45-60-61 In case of contact with eyes, rinse immediately with plenty of

R-PHRASES: 22-34-50/53

or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must

environment. Refer to special instructions/safety data sheets.

Germany WGK: 3 ID-Number: 823 **KBwS-Decision**

www.lookchem.com

16 - Other Information

9 - Physical and Chemical Properties Appearance

N/A

N/A

N/A

N/A

110 °C

- 12.0 - -8. °C

At Temperature or Pressure

Method: closed cup

Partition Coefficient N/A Viscosity N/A Materials to Avoid: Acids, Acid chlorides, Acid anhydrides, HAZARDOUS DECOMPOSITION PRODUCTS Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, and nitrogen oxides. HAZARDOUS POLYMERIZATION Hazardous Polymerization: Will not occur

Sensitization: Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals. SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Inhalation may result in spasm, inflammation and edema of the

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful

Skin Absorption: May be harmful if absorbed through the skin.

Species: Pimephales promelas (Fathead minnow) Time: 96 h Value: 0.065 mg/l

PG: II Proper Shipping Name: Amines, liquid, corrosive, n.o.s.

UN#: 2735 Class: 8

IMDG

IATA UN#: 2735 Class: 8

Technical Name: Required

15 - Regulatory Information CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES INDICATION OF DANGER: N-C Dangerous for the environment. Corrosive.

Harmful if swallowed. Causes burns. Very toxic to aquatic

water and seek medical advice. Wear suitable protective

clothing, gloves, and eye/face protection. In case of accident be disposed of as hazardous waste. Avoid release to the

COUNTRY SPECIFIC INFORMATION

For R&D use only. Not for drug, household or other uses. WARRANTY:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.