MATERIAL SAFETY DATA SHEET For R&D use only. Not for drug, household or other uses.

Click http://www.lookchem.com/cas-108/108-68-9.html for suppliers of this product.

Composition/Information on Ingredient

3,5-XYLENOL/MIXED CRESOLS AND XYLENOLS Other REC Limits: NONE RECOMMENDED **OSHA PEL:** NOT ESTABLISHED Code:

IF TLV IS EXCEEDED OR FOR SYMPTOMS OF OVER EXPOSURE, WEAR NIOSH-APPROVED ORGANIC VAPOR

Equipment SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY. WEAR APPROPRIATE

OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE

FORMULA AND/OR PERCENTAGES CHANGED. FOR PREVIOUS FORMULATIONS/CONCENTRATIONS, SEE PNI A OR B,

TARGET ORGANS: LIVER, KIDNEY, CNS, LUNG, BLOOD, HEART. ACUTE- CORROSIVE TO EYE & SKIN. INHALATION MAY HAVE EFFECTS ON HEART, CNS, BLOOD, LIVER, KIDNEY, SPLEEN, BONE MARROW. INGESTION MAY CAUSE GI BLEED ING, CNS DEPRESSION, VOMITING.

CONTAINS STYRENE. MOUSE SKIN PAINTING STUDIES INDICATE THAT PETROLEUM MIDDLE DISTILLATE SUCH AS KEROSENE CAUSES

INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT, LIVER, KIDNEYS, BONE MARROW, BLOOD CELLS,

GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES/SKIN: FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. ORAL:DO NOT INDUCE VOMITING. CALL PHYSICI AN OR POISON CONTROL CENTER IMMEDIATELY. IF CONSCIOUS, DRINK 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. NOTE

WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. SOAK UP SPILL WITH SAWDUST, SAND, EARTH, VERMICULITE. TRANSFER TO CONTAINER. PREVENT LIQUID FROM ENTERING SEWERS. REPORT A REL EASE OF 100 LBS OR MORE TO

DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. RECYCLING OR REUSING IS RECOMMENDED.

STORE IN COOL, DRY, VENTILATED AREA, AWAY FROM IGNITION SOURCES & INCOMPATIBLES. KEEP CONTAINER TIGHTLY CLOSED. 6

EMPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT WELD, SOLDER OR DRILL SUCH CONTAINERS. KEEP OUT OF REACH OF CHILDREN. DO NOT INGEST. DO NOT GET IN EYES OR ON SKIN. DO NOT BREATHE VAPORS. WASH THOROUGHLY AFTER

USE WATER SPRAY, CARBON DIOXIDE (CO2), FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

FLAMMABLE. VAPOR CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINERS MAY RUPTURE.

WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

IRRITATION, HEADACHE, DIZZINESS, NAUSEA, VOMITING, DROWSINESS, BLURRED VISION, PAIN, BURNS, COUGHING, WHEEZING,

RESPIRATOR OR AIR-PURIFYING RESPIRATOR. IN EMERGENCY, WEAR A NIOSH-APPROVED POSITIVE-PRESSURE SELF-

MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW

OSHA STEL:

ACGIH TLV:

ACGIHSTEL:

Ventilation:

Protective Gloves: RUBBER/LATEX 7

Eye Protection:

Other Protective Equipment:

Work Hygienic Practices:

EATING OR DRINKING.

SAME NSN.

YES

Skin: YES

IARC: YES

OSHA: NO

CANCER.

First Aid:

AUTHORITIES.

Neutralizing Agent: NOT RELEVANT

Other Precautions:

Flash Point Method:

HANDI ING.

PMCC

Flash Point:

109F,43C

Flash Point Text:

Autoignition Temp:

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

F6

Extinguishing Media:

NRC/State LIC No: NOT RELEVANT

Boiling Point:

Melt/Freeze Pt:

M.P/F.P Text: UNKNOWN

Decomp Temp:

Decomp Text: UNKNOWN

Vapor Pres: UNKNOWN

Vapor Density: UNKNOWN

Spec Gravity:

PH: N/R

Viscosity: UNKNOWN

UNKNOWN

N/K

YES

Corrosion I UNKNOWN

VOC Pounds/Gallon:

VOC Grams/Liter:

Solubility in Water: **IMMISCIBLE**

Appearance and Odor:

Evaporation Rate & Reference:

AMBER LIQUID - AMINES ODOR 8

Percent Volatiles by Volume:

Reactivity Data

Stability Condition To Avoid:

NONE REASONABLY FORESEEABLE.

Hazardous Decomposition Products:

Hazardous Polymerization Indicator:

Conditions To Avoid Polymerization:

Toxicological Information

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

Look for Chemicals

www.lookchem.com

Other Information:N/P

MSDS Transport Information

HIGH HEAT, SPARKS, FLAME, OTHER SOURCES OF IGNITION

CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN AND OTHER DECOMPOSITION PRODUCTS MAY BE FORMED.

For R&D use only. Not for drug, household or other uses.

terms and conditions of sale.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is

guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from

handling or from contact with the above product. See reverse side of invoice or packing slip for additional

applicable to the product with regard to appropriate safety precautions. It does not represent any

Stability Indicator:

Materials To Avoid:

NOT RELEVANT

Information:N/P

Information:N/P

Volatile Org Content %:

B.P. Text: 351F,177C

Net Prop WT For Ammo:

Fire Fighting Procedures:

Unusual Fire/Explosion Hazard:

Physical/Chemical Properties

Autoignition Temp Text:

Spill Release Procedures:

Waste Disposal Methods:

Handling And Storage Precautions:

Ingestion: YES 5

LD50LC50Mixture:

Supplemental Safety and Health:

Health Hazards Data

Route Of Entry Inds - Inhalation:

Carcinogenicity Inds - NTP:

Health Hazards Acute And Chronic:

Explanation Of Carcinogenicity:

Signs And Symptions Of Overexposure:

Medical Cond Aggravated By Exposure:

ASPIRATION HAZARD. CHRONIC- MAY CAUSE ALLERGIC SKIN REACTION.

SHORTNESS OF BREATH, COLLAPSE, UNCONSCIOUSNESS, BLEEDING

TO PHYSICIAN: ACTIVATED CHARCOAL MIXTURE MAY BE USEFUL.

Fire and Explosion Hazard Information

CNS MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

LD50 (ORAL, RAT) 12,700 MG/KG (KEROSENE)

TLV(S).

NOT ESTABLISHED

Control Measures

CONTAINED BREA THING APPARATUS.

SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

PROTECTIVE CLOTHING FOR RISK OF EXPOSURE.

Respiratory Protection:

Code:

Code: M

NΡ Code:

108-68-9

Code: RTECS: ZE6475000

Code: Name: