MATERIAL SAFETY DATA SHEET For R&D use only. Not for drug, household or other uses. Click http://www.lookchem.com/cas-743/7439-91-0.html for suppliers of this product.

Composition/Information on Ingredient

Code: X 2 Name: LANTHANUM Other REC Limits:

OSHA STEL:

ACGIH TLV:

ACGIHSTEL:

Ventilation:

Protective Gloves:

Eye Protection: SAFETY GLASSES

Other Protective Equipment:

Work Hygienic Practices:

Supplemental Safety and Health:

Health Hazards Data

LD50 (ORAL RAT) IS UNKNOWN

Carcinogenicity Inds - NTP:

Health Hazards Acute And Chronic:

Explanation Of Carcinogenicity:

HEMORRHAGING.

Spill Release Procedures:

Waste Disposal Methods:

Neutralizing Agent:

WHEN NOT IN USE.

Other Precautions:

Flash Point Method:

N/P

N/A

N/K

N/K 7

HCC: N1

N/R

NRC/State LIC No:

Boiling Point:

Melt/Freeze Pt:

M.P/F.P Text: 1700F,927C

Decomp Temp:

Decomp Text: UNKNOWN

Vapor Pres:

Vapor Density:

Spec Gravity:

PH: N/K

Viscosity:

N/K

N/K

YES

VOC Pounds/Gallon:

VOC Grams/Liter:

Solubility in Water: **REACTS SLOWLY**

Corrosion Rate:

Stability Indicator:

Materials To Avoid:

NOT APPLICABLE 9

Information:N/P

Information:N/P

UNKNOWN

Appearance and Odor:

Percent Volatiles by Volume:

Reactivity Data

Stability Condition To Avoid:

FLAMMABLE HYDROGEN GAS

MOSITURE AND ACIDIC CONDITIONS.

Hazardous Decomposition Products:

Hazardous Polymerization Indicator:

Conditions To Avoid Polymerization:

Toxicological Information

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

www.lookchem.com

Other Information:N/P

MSDS Transport Information

WATER, ACIDS, PHOSPHORUS, HALOGENS, OXIDIZING MATERIALS, SULFUR.

For R&D use only. Not for drug, household or other uses.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any

guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from

handling or from contact with the above product. See reverse side of invoice or packing slip for additional

WARRANTY

terms and conditions of sale.

Evaporation Rate & Reference:

METALLIC; GRAY TO BLACK - ODORLESS

Volatile Org Content %:

N/K

N/K

B.P. Text: 6800F,3760C

Net Prop WT For Ammo:

Lower Limits:

Upper Limits:

Extinguishing Media:

Fire Fighting Procedures:

Unusual Fire/Explosion Hazard:

FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Physical/Chemical Properties

PYROPHORIC AND MAY IGNITE BY FRICTION.

Flash Point:

Flash Point Text: >500F,>260C

Autoignition Temp:

Autoignition Temp Text:

Signs And Symptions Of Overexposure:

Medical Cond Aggravated By Exposure:

NONE SPECIFIED BY MANUFACTURER.

Handling And Storage Precautions:

Fire and Explosion Hazard Information

Route Of Entry Inds - Inhalation:

BEFORE REUSE.

LD50LC50Mixture:

N/P8

YES

Skin: YES

NO

IARC: NO

OSHA: NO

Ingestion:

NOT ESTABLISHED

Control Measures

LOCAL VENTILATION SHOULD BE PROVIDED.

TO PROTECT AGAINST PHYSICAL HAZARDS.

PROLONGED OR REPEATED CONTACT.

Respiratory Protection:

Code:

Code: M

N/P Code:

Cas: 7439-91-0 Code:

Μ RTECS:

NONE SPECIFIED **OSHA PEL:** NOT ESTABLISHED

Code: Μ

IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED

RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION.

Equipment SAFETY SHOWER AND EYE BATH. INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID

WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. LAUNDER CONTAMINATED CLOTHING

MANUFACTURER STATES THAT THERE IS VERY LITTLE HAZARD IN FINAL METAL ROD PRODUCT. PRINCIPAL HAZARD IS TO WORKERS MAKING THIS MATERIAL AND FROM EXPOSURE TO METAL DUSTS AND FUMES WHICH MAY CAUSE ALTERATI ON OF THE COAGULATION

6 IRRITATION TO EYES, NOSE AND THROAT. FLU-LIKE SYMPTOMS, FEVER, NAUSEA, VOMITING, MUSCULAR PAIN. IN EXTREME CASES,

EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER.

DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS. DISPOSE OF AS A FLAMMABLE SOLID.

STORE IN METAL CONTAINERS IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION. KEEP CONTAINER CLOSED

COVER WITH DRY SALT OR DRY SAND TO SMOTHER. AVOID USE OF WATER DUE TO SLOW REACTION YIELDING HYDROGEN GAS.

WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL

COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. FINE METALLIC POWDERS ARE

PERSONS WITH A HISTORY OF EYE, SKIN, BLOOD AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

INHALATION: REMOVE TO FRESH AIR. INGESTION: GIVE 1-2 GLASSES OF WATER AND GET PROMPT MEDICAL ATTENTION.

PROPERTIES OF BLOOD AND METALLIC FUME FEVER. CONSIDER MATERIAL AS NUISANCE DUST.

NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

AVOID DUST GENERATION VIA VACUUM METHODS OR USE OF WATER. USE APPROPRIATE RESPIRATOR

AVOID FLAMES AND SPARKS. AVOID MIXING WITH HALOGENS, PHOSPHORUS, OR OTHER OXIDIZING MATERIALS.