

MATERIAL SAFETY DATA SHEET

For R&D use only. Not for drug, household or other uses.

Click <http://www.lookchem.com/cas-632/63231-60-7.html> for suppliers of this product.

Composition/Information on Ingredient

Cas:
63231-60-7
Code:
M

RTECS:

Code:
X

Name:
WAX-MICROCRYSTALLINE

Other REC Limits:
NONE SPECIFIED

OSHA PEL:
NOT ESTABLISHED
Code:
M

OSHA STEL:

Code:

ACGIH TLV:
2 MG/M3
Code:
M

ACGIHSTEL:
N/P
Code:

Control Measures

Respiratory Protection:
NONE NEEDED WITH ADEQUATE VENTILATION.

Ventilation:
LOCAL EXHAUST: YES

Protective Gloves:
NEOPRENE OR POLYETHYLENE GLOVES.

Eye Protection:
WEAR EYE PROTECTION.

Other Protective Equipment:
Equipment NONE

Work Hygienic Practices:
WASH THOROUGHLY AFTER USE.

Supplemental Safety and Health:
N/K

Health Hazards Data

LD50LC50Mixture:
N/K

Route Of Entry Inds - Inhalation:
NO

Skin:
YES

Ingestion:
YES

Carcinogenicity Inds - NTP:
NO

IARC:
NO

OSHA:
NO

Health Hazards Acute And Chronic:
THIS PRODUCT HAS BEEN USED FOR YEARS WITH NO KNOWN ILL EFFECTS. IT CONTAINS NO KNOWN CARCINOGENS AS DEFINED BY OSHA OR IARC.

Explanation Of Carcinogenicity:
NOT PRESENTLY ON ANY LIST.

Signs And Symptions Of Overexposure:
MILD SKIN IRRITATION AND EYE IRRITATION, NON CORROSIVE.

Medical Cond Aggravated By Exposure:
NONE

First Aid:
3 IF SWALLOWED INDUCE VOMITING, GIVE PLENTY OF WATER, CALL PHYSICIAN IMMEDIATELY. EYES: FLUSH WITH WATER FOR 15 MINUTES. DERMAL: FLUSH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR.

Spill Release Procedures:
SWEEP UP AND CONTAINERIZE FOR DISPOSAL.

Neutralizing Agent:
N/K

Waste Disposal Methods:
DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE & LOCAL LAWS.

Handling And Storage Precautions:
KEEP AWAY FROM HEAT, SPARKS, OR OPEN FLAME.

Other Precautions:
FIRE POINT 550 F, KEEP AWAY FROM SPARKS AND FLAMES.

Fire and Explosion Hazard Information

Flash Point Method:
N/P

Flash Point:

Flash Point Text:
500F,260C

Autoignition Temp:

Autoignition Temp Text:
N/K

Lower Limits:
N/K

Upper Limits:
N/K

Extinguishing Media:
USE WATER FOG, DRY CHEMICAL OR CARBON DIOXIDE.

Fire Fighting Procedures:
WATER MAY CAUSE FROTHING.

Unusual Fire/Explosion Hazard:
4 NONE

Physical/Chemical Properties

HCC:
N1

NRC/State LIC No:
N/K

Net Prop WT For Ammo:

Boiling Point:

B.P. Text:
750F,399C

Melt/Freeze Pt:

M.P/F.P Text:
302F,150C

Decomp Temp:

Decomp Text:
N/K

Vapor Pres:
N/K

Vapor Density:
N/K 5

Volatile Org Content %:

Spec Gravity:
.96@16C (WTR=1)

VOC Pounds/Gallon:

PH: N/K

VOC Grams/Liter:

Viscosity:
N/K

Evaporation Rate & Reference:
N/K

Solubility in Water:
NOT SOLUBLE

Appearance and Odor:
SOLID, BLACK CYLINDER.

Percent Volatiles by Volume:
N/K

Corrosion Rate:
N/K

Reactivity Data

Stability Indicator:
YES

Stability Condition To Avoid:
HIGH TEMPERATURES

Materials To Avoid:
NONE

Hazardous Decomposition Products:
CO, CO2 IF INCOMPLETE COMBUSTION.

Hazardous Polymerization Indicator:
NO

Conditions To Avoid Polymerization:
STRONG OXIDIZERS.

Toxicological Information

Information:N/P

MSDS Transport Information

Information:N/P

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

Other Information:N/P