

MATERIAL SAFETY DATA SHEET

For R&D use only. Not for drug, household or other uses.

Click <http://www.lookchem.com/cas-900/9006-04-6.html> for suppliers of this product.

Composition/Information on Ingredient

9006-04-6
Code:
T
RTECS:
Code:
X
Name:
NATURAL RUBBER Environmental Wt: Other REC Limit
Other REC Limits:
N/P
OSHA PEL:
400 PPM/500 STEL
Code:
M
OSHA STEL:
Code:
ACGIH TLV:
400 PPM/500STEL;9192
Code:
M
ACGIHSTEL:
N/P
Code:

Control Measures

WHEN CHANGING DETERIORATED PACKING, WE SUGGEST WETTING MATERIAL TO PREVENT AIRBORNE FIBER DISPERSAL. OR WEAR MASK TO PREVENT INHALING ANY DUST MATERIAL.

Ventilation:

USE LOCAL EXHAUST.

Protective Gloves:

NP

Eye Protection:

NP

Other Protective Equipment:

Equipment N/P

Method

NP

Supplemental Safety an

N/P

LD50LC50Mixture:
N/P

Route Of Entry Inds - Inhalation:	YES
Skin:	NO
Ingestion:	NO
Carcinogenicity Inds - NTP:	YES
IARC:	YES
OSHA:	YES
Health Hazards Acute And Chronic:	A CONCEIVABLE HEALTH HAZARD WOULD BE FROM THE RELEASE OF ASBESTOS FIBERS INTO THE AIR BY DELIBERATELY MIS-HANDLING SUCH AS, SAWING, SANDING, DRILLING, OR GRINDING. DO NOT PERFORM THESE OPERATIONS ON THIS MATERIAL. IF ANY OF THESE OPERATIONS ARE PERFORMED, USE ADEQUATE DUST EXTRACTION/SUPPRESSION PROCEDURES. IGNITION OF THIS MATERIAL MAY RESULT IN POLYMER FUME FEVER.
Explanation Of Carcinogenicity:	CONTAINS ASBESTOS.
Signs And Symptoms Of Overexposure:	POLYMER FUME FEVER.
Medical Cond Aggravated By Exposure:	N/P
First Aid:	MOVE AFFECTED PERSON TO FRESH AIR AND SEEK IMMEDIATE MEDICAL TREATMENT.
Spill Release Procedures:	N/P
Neutralizing Agent:	N/P
Waste Disposal Methods:	BURY WASTES IN SOLID LANDFILL AS REQUIRED IN 29 CFR 1910-1001. ALSO COMPLY WITH APPLICABLE STATE AND LOCAL REGULATIONS. WASTES SHOULD BE IN A SCALED CONTAINER MARKED WITH APPROPRIATE WARNING LABEL. HIGH TEMPERATURE INCINERATION MAY BE AN OPTION. CHECK STATE AND LOCAL REGULATIONS.
Handling And Storage Precautions:	AVOID DUST.
Other Precautions:	N/P 3

N/A

Flash Point Text: N/A
Autoignition Temp:
Autoignition Temp Text: N/A
Lower Limits: N/A
Upper Limits: N/A
Extinguishing Media: MAY BE WATER OR FOAM.
Fire Fighting Procedures: THIS MATERIAL HAS LITTLE OR NO COMBUSTIBILITY. ASBESOS PARTICULATE MAY BE RELEASED IN A FIRE. FIREFIGHTERS SHOULD USE A SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING THIS MATERIAL.
Unusual Fire/Explosion Hazard: N/P
Physical/Chemical Description:

HCC:
T6

NRC/State LIC No:

Net Prop WT For Ammo:
4

Boiling Point:

B.P. Text:
N/P

Melt / Freeze Pt:

M.P/F.P Text:
N/P

Decomp Temp:

Decomp Text:
N/P

Vapor Pres:
N/P

Vapor Density:
N/P

Volatile Org Content %:

Spec Gravity:
2.2 - 2.4

VOC Pounds/Gallon:

PH: N/P

VOC Grams/Liter:

Viscosity:
N/P

Evaporation Rate & Reference:
N/P

Solubility in Water:
INSOLUBLE

Appearance and Odor:
BLACK COLOR, SLIPPERY SQUARE ROPE-LIKE MATERIAL.

Percent Volatiles by Volume:
N/P

Corrosion Rate:
N/P

Reactivity Data

Stability Indicator:
YES

Stability Condition To Avoid:
THIS IS A STABLE MATERIAL UNDER NORMAL USE, HANDLING, AND STORAGE. SHELF LIFE IS MEASURED IN YEARS.

Materials To Avoid:
N/P

Hazardous Decomposition Products:
N/P

Hazardous Polymerization Indicator:
NO

Conditions To Avoid Polymerization:
N/P

Toxicological Information

Information: N/P

MSDS Transport Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

Other information: n/a

For R&D use only. Not for drug, household or other uses.

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used