

MATERIAL SAFETY DATA SHEET

For R&D use only. Not for drug, household or other uses.

Click <http://www.lookchem.com/cas-262/26265-08-7.html> for suppliers of this product.

Composition/Information on Ingredient

Cas:

26265-08-7

Code:

M

RTECS:

Code:

X

Name:
BISPHENOL A, EPICHLOROHYDRIN, TETRABROMOBISPHENOL

Other REC Limits:

N/K

OSHA PEL:

N/K

Code:

M

OSHA STEL:

Code:

ACGIH TLV:

N/K

Code:

M

ACGIH STEL:

N/P

Code:

Control Measures

Respiratory Protection:

USE NIOSH APPROVED DUST RESPIRATOR.

Ventilation:

LOCAL EXHAUST

Protective Gloves:

REQUIRED

Eye Protection:

3 REQUIRED

Other Protective Equipment:

Equipment N/K

Work Hygienic Practices:

N/K

Supplemental Safety and Health:

N/K

Health Hazards Data

LD50/LC50 Mixture:

N/P

Route Of Entry Inds - Inhalation:

YES

Skin:

NO

Ingestion:

NO

Carcinogenicity Inds - NTP:

NO

IARC:

NO

OSHA:

NO

Health Hazards Acute And Chronic:

SKIN/EYES: DUST MAY CAUSE MODERATE IRRITATION. INHALATION: FIBER GLASS DUST MAY BE RELEASED FROM THE FIBER-GLASS CLOTH SUBSTRATE WHEN MACHINED. ACGIH TLV IS 10 MG/M3 TWA FOR PARTICLES <5 MICRONS IN DIAMETER.

Explanation Of Carcinogenicity:

NONE

Signs And Symptoms Of Overexposure:

IRRITATION.

Medical Cond Aggravated By Exposure:

N/K 2

First Aid:

SKIN: WASH IN FLOWING WATER/SHOWER. EYES: IRRIGATE W/FLOWING WATER FOR 15 MINS. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE MOUTH TO MOUTH IF NEEDED. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTE TO PHYSICIAN: TREAT SYMPTOMATICALLY.

Spill Release Procedures:

N/R

Neutralizing Agent:

N/K

Waste Disposal Methods:

COPPER SHOULD BE RECYCLED. DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions:

N/K

Other Precautions:

N/K

Fire and Explosion Hazard Information

Flash Point Method:

N/P

Flash Point:

Flash Point Text:

N/K

Autoignition Temp:

N/A

Lower Limits:

N/K

Upper Limits:

N/K

Extinguishing Media:

WATER, CO2 & DRY CHEMICAL

Fire Fighting Procedures:

WEAR PROPER PROTECTIVE EQUIPMENT & POSITIVE PRESSURE SCBA.

Unusual Fire/Explosion Hazard:

MAY GIVE OFF TOXIC HYDROGEN BROMIDE. AUTOIGNITION TEMP:-1363F.

Physical/Chemical Properties

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

N/P

Boiling Point:

N/P

B.P. Text:

N/K

Melt/Freeze Pt:

N/K

Decomp Temp:

N/A

Decomp Text:

N/K

Vapor Pres:

N/K

Vapor Density:

N/K

Volatile Org Content %:

N/K

Spec Gravity:

-1.5 TO -2

VOC Pounds/Gallon:

N/K

PH:

N/K

VOC Grams/Liter:

N/K

Viscosity:

N/P

Autoignition Rate & Reference:

N/K

Solubility in Water:

NEGLIGIBLE

Appearance and Odor:

NATURAL LIGHT GREEN SOLID SHEET MATERIAL W/NO ODOR

Percent Volatiles by Volume:

N/K

Corrosion Rate:

N/K

Decomp Temp:

N/A

Decomp Text:

N/K

Vapor Pres:

N/K

Vapor Density:

N/K

Volatile Org Content %:

N/K

Spec Gravity:

-1.5 TO -2

VOC Pounds/Gallon:

N/K

PH:

N/K

VOC Grams/Liter:

N/K

Viscosity:

N/P

Autoignition Rate & Reference:

N/K

Solubility in Water:

NEGLIGIBLE

Appearance and Odor:

NATURAL LIGHT GREEN SOLID SHEET MATERIAL W/NO ODOR

Percent Volatiles by Volume:

N/K

Corrosion Rate:

N/K

Decomp Temp:

N/A

Decomp Text:

N/K

Vapor Pres:

N/K

Vapor Density:

N/K

Volatile Org Content %:

N/K

Spec Gravity:

-1.5 TO -2

VOC Pounds/Gallon:

N/K

PH:

N/K

VOC Grams/Liter:

N/K

Autoignition Rate & Reference:

N/K

Solubility in Water:

NEGLIGIBLE

Appearance and Odor:

NATURAL LIGHT GREEN SOLID SHEET MATERIAL W/NO ODOR

Percent Volatiles by Volume:

N/K

Corrosion Rate:

N/K

Decomp Temp:

N/A

Decomp Text:

N/K

Vapor Pres:

N/K