MATERIAL SAFETY DATA SHEET For R&D use only. Not for drug, household or other uses.

Click http://www.lookchem.com/cas-744/7440-21-3.html for suppliers of this product.

Cas: 7440-21-3 Code: Μ

Name: SILICON

Other REC Limits:

15 MG/M3 TDUST

OSHA PEL:

Code:

Code: Μ

Code:

ACGIHSTEL:

Ventilation:

Protective Gloves:

Eye Protection:

WELDERS WORK GLOVES

Other Protective Equipment:

Supplemental Safety and Health:

Health Hazards Data

ORAL LD50 (RAT) IS UNKNOWN

Carcinogenicity Inds - NTP:

Health Hazards Acute And Chronic:

Explanation Of Carcinogenicity:

Signs And Symptions Of Overexposure:

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

REDNESS, TEARING, BLURRED VISION.

NONE SPECIFIED BY MANUFACTURER.

Handling And Storage Precautions:

NONE SPECIFIED BY MANUFACTURER.

SIDEROSIS, FLUOROSIS AND AFFECT LUNG FUNCTION.

Route Of Entry Inds - Inhalation:

Work Hygienic Practices:

BEFORE REUSE.

LD50LC50Mixture:

NR

YES

Skin: NO

NO

IARC: NO

OSHA: NO

First Aid:

Spill Release Procedures:

Waste Disposal Methods:

Neutralizing Agent:

Other Precautions:

Flash Point Method:

N/P

Flash Point:

Flash Point Text: NOT APPLICABLE

Autoignition Temp:

Lower Limits:

Upper Limits:

Extinguishing Media:

Fire Fighting Procedures:

Unusual Fire/Explosion Hazard:

USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Physical/Chemical Properties

WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

NON-FLAMMABLE; BUT SPARKS AND WELDING ARC MAY IGNITE COMBUSTIBLES DURING USE.

N/R

N/R

HCC: N1

N/R

NRC/State LIC No:

Boiling Point:

Melt/Freeze Pt:

M.P/F.P Text: UNKNOWN

Decomp Temp:

Decomp Text: UNKNOWN

Vapor Pres: UNKNOWN

Vapor Density: UNKNOWN

Spec Gravity: UNKNOWN 8

PH: N/K

Viscosity: N/R

UNKNOWN

INSOLUBLE

SOLID ROD

Corrosion Rate: UNKNOWN

Stability Indicator:

Materials To Avoid:

Information:N/P

Information:N/P

N/K

YES

NO

VOC Pounds/Gallon:

VOC Grams/Liter:

Solubility in Water:

Appearance and Odor:

Percent Volatiles by Volume:

Reactivity Data

Stability Condition To Avoid:

METAL FUMES, FLUORIDES.

NONE SPECIFIED BY MANUFACTURER.

NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:

Hazardous Polymerization Indicator:

Conditions To Avoid Polymerization: NONE SPECIFIED BY MANUFACTURER.

Toxicological Information

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

www.lookchem.com

Other Information:N/P

MSDS Transport Information

For R&D use only. Not for drug, household or other uses.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any

guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from

handling or from contact with the above product. See reverse side of invoice or packing slip for additional

WARRANTY

terms and conditions of sale.

Evaporation Rate & Reference:

Volatile Org Content %:

B.P. Text: UNKNOWN

Net Prop WT For Ammo:

Autoignition Temp Text:

Ingestion:

WELDERS HELMET WITH CORRECT LENSES

Equipment CLOTHING TO PROTECT ENTIRE BODY FROM SPARKS.

NONE RECOMMENDED

10 MG/M3 TDUST; 9293

Control Measures

Respiratory Protection:

Composition/Information on Ingredient

RTECS: VW0400000

Code: Μ

OSHA STEL: Code: **ACGIH TLV:**

Μ

7 USE NIOSH/MSHA APPROVED RESPIRATOR FOR WELDING FUMES OR SUPPLIED AIR RESPIRATOR IN CONFINED

USE MECHANICAL OR LOCAL EXHAUST OR BOTH TO MAINTAIN LEVELS OF FUMES BELOW REGULATORY LIMITS.

WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING

ACUTE: INHALATION OF WELDING FUMES MAY CAUSE NERVOUS SYSTEM AND MUSCLE IRREGULARITIES, IRRITATION OF EYES, NOSE, THROAT, AND RESPIRATORY SYSTEM, METAL FUME FEVER. CHRONIC: PROLONGED OR REPEATED INHALA TION OF FUMES MAY CAUSE

NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

REMOVE ANY COMBUSTIBLES FROM WORK AREA: SPARKS OR WELDING ARC COULD IGNITE NEARBY COMBUSTIBLES.

SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. SEE DOCTOR. 6

PICK UP RODS. SWEEP UP OR MOP. PLACE RESIDUE IN A CONTAINER FOR DISPOSAL.

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Fire and Explosion Hazard Information

INHALATION: NAUSEA, DIZZINESS, DRYNESS OF NOSE AND THROAT, COUGHING, WHEEZING AND SHORTNESS OF BREATH. EYES:

INHALATION: REMOVE TO FRESH AIR. RESUSCITATE IF NEEDED. EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SEE DOCTOR.

SPACES OR WHERE FUME CONCENTRATION EXCEEDS REGULATORY LIMITS.