

MATERIAL SAFETY DATA SHEET

For R&D use only. Not for drug, household or other uses.

Click <http://www.lookchem.com/cas-79/79-94-7.html> for suppliers of this product.

Composition/Information on Ingredient

Cas:

79-94-7

Code:

M

RTECS:**Code:**

X

Name:

TETRABROMOBISPHENOL A

Other REC Limits:

N/K

OSHA PEL:

N/K

Code:

M

OSHA STEL:**Code:****ACGIH TLV:**

N/K

Code:

M

ACGIH STEL:

N/P

Code:

Control Measures

Respiratory Protection:

NIOSH/MSHA APPROVED RESPIRATORS IF TLB EXCEEDED.

Ventilation:

GENERAL VENTILATION/LOCAL EXHAUST, ESPECIALLY WHEN HEATED.

Protective Gloves:

IMPERVIOUS RUBBER GLOVES

Eye Protection:

SAFETY GLASSES 4

Other Protective Equipment:

Equipment CLEAN BODY-COVERING CLOTHING

Work Hygienic Practices:

N/K

Supplemental Safety and Health:

N/K

Health Hazards Data

LD50/LC50 Mixture:

N/K

Route Of Entry Inds - Inhalation:

YES

Skin:

YES

Ingestion:

YES

Carcinogenicity Inds - NTP:

NO

IARC:

NO

OSHA:

NO

Health Hazards Acute And Chronic:

SKIN: IRRITATION POSSIBLE DERMATITIS/ALLERGY/SENSITIZATION, SKIN LESIONS MAY CAUSE LIVER & KIDNEY, BLOOD SPLINE THYROID EFFECTS. EYES: IRRITATION. INHALATION: IRRITATION, CNS DEPRESSION. CHRONIC INHALATION: LUNG DISEASE & TUMORS, LIVER DAMAGE & CHANGE IN THE BLOOD.

Explanation Of Carcinogenicity:

NONE

Signs And Symptoms Of Overexposure:

INHALATION: HEADACHE, CNS NARCOSIS.

Medical Cond Aggravated By Exposure:

ALLERGIES.

First Aid:

EYES: FLUSH W/WATER FOR 15 MINUTES. SKIN: WASH W/SOAP & WATER. COOL WATER RINSING HELPS REMOVE FIBERS. INHALATION: MOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES. 3

Spill Release Procedures:

PICK UP & USE UNCONTAMINATED MATERIAL. CONTAMINATED MATERIAL SHOULD BE PICKED UP & DISPOSED OF PROPERLY. REPORT LARGE SPILLS TO EPA, CONTAINS DIURON, RQ100 LBS.

Neutralizing Agent:

N/K

Waste Disposal Methods:

DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS, WHICH MAY VARY BY LOCATION. QUESTIONS CONCERNING DISPOSAL SHOULD BE DIRECTED TO FIBERITE'S SAFETY, HEALTH & ENVIRONMENTAL AFFAIRS DEPARTMENT FOR EVALUATION ON A CASE BY CASE BASIS.

Handling And Storage Precautions:

STORE AT/BELOW 40F NUISANCE MATERIALS MAY BE RELEASED AS DUSTS WHEN MACHINING CURED PRODUCTS.

Other Precautions:

N/K

Fire and Explosion Hazard Information

Flash Point Method:

N/P

Flash Point:**Flash Point Text:**

N/R

Autoignition Temp:

N/A

Autoignition Temp Text:

N/A

Lower Limits:

N/K

Upper Limits:

N/K

Extinguishing Media:

CO2, DRY CHEMICAL, FOAM, WATER

Fire Fighting Procedures:

USE SCBA. EXOTHERMIC POLYMERIZATION MAY OCCUR. DISSIPATE HEAT BY SPREADING MATERIAL APART & DOUSING W/WATER. CONTAIN EMISSIONS USING LOCAL EXHAUST.

Unusual Fire/Explosion Hazard:

N/K

Physical/Chemical Properties

HCC:**NRC/State IC No:****Net Prop WT For Ammo:**

N/K

Boiling Point:

N/R

Melt/Freeze Pt:

N/K

M.P/F.P Text:

N/K

Decomp Temp:

N/K

Decomp Text:

N/K

Vapor Pres:

N/K

Vapor Density:

N/R

Volatile Org Content %:

N/K

Spec Gravity:

1.5-2.2

VOC Pounds/Gallon:

N/K

PH:

N/K

VOC Grams/Liter:

N/K

Viscosity:

N/P

Evaporation Rate & Reference:

N/R

Stability in Water:

N/K

2% Volatile by Volume:

<2

Corrosion Rate:

N/K

Reactivity Data

Stability Indicator:

YES

Stability Condition To Avoid:

N/K

Materials To Avoid:

STRONG OXIDIZERS, STRONG ACIDS, STRONG BASES.

Hazardous Decomposition Products:

COX, NOX, AMINES, PHENOLS, BROMINE COMPOUNDS, ANTIMONY, COMPOUNDS, INCOMPLETELY BURNED HYDROCARBONS

Hazardous Polymerization Indicator:

YES

Conditions To Avoid Polymerization:

EXOTHERMIC POLYMERIZATION CAN OCCUR W/RAPID/EXCESSIVE HEAT. WHEN HEATED TO DECOMPOSITION TOXIC EMISSIONS ARE RELEASED.

Toxicological Information

Information:

N/P

MSDS Transport Information

Information:

N/P

Regulatory Information

Sara Title III Information:

N/P

Federal Regulatory Information:

N/P

State Regulatory Information:

N/P

Other Information:

N/P

Physical/Chemical Properties

HCC:**NRC/State IC No:**

N/K

Net Prop WT For Ammo:

N/K

Boiling Point:

N/R

Melt/Freeze Pt:

N/K

M.P/F.P Text:

N/K

Decomp Temp:

N/K

Decomp Text:

N/K

Vapor Pres:

N/K

Vapor Density:

N/R

Volatile Org Content %:

N/K

Spec Gravity:

1.5-2.2

VOC Pounds/Gallon:

N/K

PH:

N/K

VOC Grams/Liter:

N/K

Viscosity:

N/P

Evaporation Rate & Reference: