MATERIAL SAFETY DATA SHEET For R&D use only. Not for drug, household or other uses.

Click http://www.lookchem.com/cas-120/12030-97-6.html for suppliers of this product. Composition/Information on Ingredient

Cas: 12030-97-6 Code: **RTECS:**

Code: Χ Name: POTASSIUM TITANATE

Other REC Limits: NK **OSHA PEL:** NK

Code: M

OSHA STEL: Code: **ACGIH TLV:** ΝK Code: Μ **ACGIHSTEL:** NΡ Code:

Control Measures

Respiratory Protection: USE RESPIRABLE FUME RESPIRATORY OR AIR SUPPLIED RESPIRATOR WHEN WELDING IN A CONFINED SPACE OR WHERE LOCAL EXHAUST OR VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV. Ventilation: USE ADEQUATE GENERAL VENTILATION & LOCAL EXHAUST AT THE ARC. 10 **Protective Gloves:** WELDER'S GLOVES **Eye Protection:** HELMET/FACE SHEILD WITH FILTER LENS.

Other Protective Equipment: Equipment WEAR PROTECTIVE CLOTHING. **Work Hygienic Practices: Supplemental Safety and Health:**

ACUTE: MAY RESULT IN DISCOMFORT SUCH AS DIZZINESS, NAUSEA, DRYNESS OR IRRITATION OF NOSE, THROAT OR EYES, TIGHTNESS IN

REMOVE TO FRESH AIR, IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN, IF BREATHING HAS SPED, APPLY ARTIFICIAL RESPIRATOR; GET

DISCARD ANY PRODUCT RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER.

CHEST, FEVER & ALLERGIC REACTIONS. CHRONIC: MAY LEAD TO SIDEROSIS & IS BELIEVED BY SOME INVESTIGATORS TO AFFECT

Health Hazards Data

Route Of Entry Inds - Inhalation:

Carcinogenicity Inds - NTP:

Health Hazards Acute And Chronic:

Explanation Of Carcinogenicity:

CHROMIUM (CR+6) IS LISTED AS CARCINOGENIC.

Signs And Symptions Of Overexposure:

Medical Cond Aggravated By Exposure:

PULMONARY FUNCTION.

SEE "HEALTH HAZARDS".

Spill Release Procedures: SWEEP UP OR SCOOP UP.

Waste Disposal Methods:

Handling And Storage Precautions:

USE EXHAUST SYSTEM TO CLEAR WELDING FUMES.

Fire and Explosion Hazard Information

WELDING ARC AND SPARKS CAN IGNITE COMBUSTIBLES AND FLAMMABLES.

Neutralizing Agent:

Other Precautions:

Flash Point Method:

LD50LC50Mixture:

N/K

Skin: NO

NO

IARC: YES

OSHA: NO

N/P

First Aid:

N/P 9

N/P

N/P

N/R

N/A

N/R

NONE

NONE

HCC: N1

NRC/State LIC No:

Boiling Point:

Melt/Freeze Pt:

M.P/F.P Text:

Decomp Temp:

Decomp Text:

Vapor Pres:

Vapor Density:

Spec Gravity:

VOC Pounds/Gallon:

VOC Grams/Liter:

Solubility in Water:

Corrosion Rate:

Stability Indicator:

Materials To Avoid:

Information:N/P

Information:N/P

Appearance and Odor: SOLID WIRE OR ROD

Percent Volatiles by Volume:

Reactivity Data

Stability Condition To Avoid:

Hazardous Decomposition Products: DIFFICULT TO DETERMINE. VARIES GREATLY.

Hazardous Polymerization Indicator:

Conditions To Avoid Polymerization:

Toxicological Information

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

www.lookchem.com

Other Information:N/P

MSDS Transport Information

For R&D use only. Not for drug, household or other uses.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any

guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from

handling or from contact with the above product. See reverse side of invoice or packing slip for additional

WARRANTY

terms and conditions of sale.

Evaporation Rate & Reference:

Volatile Org Content %:

B.P. Text:

N/K

N/A

N/A

N/K

N/K

PH: N/P

Viscosity: N/P

N/K

N/K 11

N/K

N/P

YES

NONE

NONE

Net Prop WT For Ammo:

Lower Limits:

Upper Limits:

Extinguishing Media:

Fire Fighting Procedures:

Unusual Fire/Explosion Hazard:

Physical/Chemical Properties

Flash Point:

Flash Point Text:

Autoignition Temp:

Autoignition Temp Text:

MEDICAL HELP.

Ingestion: