

MATERIAL SAFETY DATA SHEET

For R&D use only. Not for drug, household or other uses.

Click <http://www.lookchem.com/cas-659/65996-95-4.html> for suppliers of this product.

Composition/Information on Ingredient

Cas:
65996-95-4
Code:
M
RTECS:

Code:
X
Name:
SUPERPHOSPHATES

Other REC Limits:
N/K

OSHA PEL:
N/K
Code:
M

OSHA STEL:

Code:

ACGIH TLV:
N/K
Code:
M

ACGIHSTEL:
N/P
Code:

Control Measures

Respiratory Protection:
WEAR NIOSH/MSHA APPROVED DUST-MIST TYPE RESPIRATOR.

Ventilation:
N/K

Protective Gloves:
RUBBER

Eye Protection:
CHEMICAL GOGGLES

Other Protective Equipment:
Equipment RECOMMENDED

Work Hygienic Practices:
WASH THOROUGHLY AFTER HANDLING, BEFORE EATING, &AFTER WORK SHIFT. REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health:
N/K

Health Hazards Data

LD50LC50Mixture:
N/K

Route Of Entry Inds - Inhalation:
YES

Skin:
YES

Ingestion:
YES 3

Carcinogenicity Inds - NTP:
NO

IARC:
NO

OSHA:
NO

Health Hazards Acute And Chronic:
INHALATION: CHOLINESTERASE INHIBITION. SKIN/EYES: IRRITATION. INGESTION: HARMFUL.

Explanation Of Carcinogenicity:
NONE

Signs And Symptions Of Overexposure:
INHALATION: CHOLINESTERASE INHIBITION. SKIN/EYES: IRRITATION. INGESTION: HARMFUL.

Medical Cond Aggravated By Exposure:
N/K

First Aid:
EYES: WASH W/WATER. SKIN: WASH W/SOAP & WATER. INGESTION: GIVE LARGE AMOUNTS OF WATER. USE ATROPINE AS ANTIDOTAL IF OVER-EXPOSED TO BETASAN. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION I N ALL CASES.

Spill Release Procedures:
SWEEP UP SPILLED MATERIAL/PLACE IN SUITABLE CONTAINER FOR RECYCLE OR DISPOSAL. CONTAIN TO PREVENT ENTRY INTO SEWER OR WATER COURSE. WASH AREA W/WATER IF POSSIBLE. DIKE OFF SPILL AREA. RUN OFF WATER FR OM FIRE CONTROL AREA MAY CAUSE POLLUTION.

Neutralizing Agent:
N/K

Waste Disposal Methods:
COMPLY W/LOCAL DISPOSAL REGULATIONS.

Handling And Storage Precautions:
AVOID BREATHING DUST.

Other Precautions:
N/K

Fire and Explosion Hazard Information

Flash Point Method:
N/P

Flash Point:

Flash Point Text:
NON-FLAMMABLE

Autoignition Temp:

Autoignition Temp Text:
N/A

Lower Limits:
N/K

Upper Limits:
N/K

Extinguishing Media:
USE SUITABLE AGENT MEDIA FOR SURROUNDING FIRE.

Fire Fighting Procedures:
WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING. EVACUATE AREA.

Unusual Fire/Explosion Hazard:
4 FUMES MAY BE A HAZARD.

Physical/Chemical Properties

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text:
N/K

Melt/Freeze Pt:

M.P/F.P Text:
N/K

Decomp Temp:

Decomp Text:
N/K

Vapor Pres:
N/K

Vapor Density:
N/K

Volatile Org Content %:

Spec Gravity:
N/K

VOC Pounds/Gallon:

PH: N/K

VOC Grams/Liter:

Viscosity:
N/P

Evaporation Rate & Reference:
35%

Solubility in Water:
N/R

Appearance and Odor:
GRAY GRANULES

Percent Volatiles by Volume:
N/K

Corrosion Rate:
N/K

Reactivity Data

Stability Indicator:
YES 5

Stability Condition To Avoid:
MOISTURE &HEAT

Materials To Avoid:
MINERAL ACIDS

Hazardous Decomposition Products:
N/K

Hazardous Polymerization Indicator:
NO

Conditions To Avoid Polymerization:
N/K

Toxicological Information

Information:N/P

MSDS Transport Information

Information:N/P

Regulatory Information

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Other Information

Other Information:N/P



For R&D use only. Not for drug, household or other uses.

WARRANTY
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Lookchem shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.